



Table of content

Page 3 Pro System

Generators, heads & accessories

Pro Studio Generators

Heads for Pro & Pro-B generators

Page 6 D4 & Acute2 System

Generators, heads, kits & accessories

D4 & Acute2 Studio Generators

Heads for Acute2 Acute2 value kits Heads for AcuteB

Page 12 Off-Camera Flash System

B1, B2, kits & accessories

Off-Camera Flash

OCF Light Shaping Tools

Page 17 D1 Monolights

Monolights, kits & accessories

D1 Monolight D1 value kits

Page 20 Continuous Lights

Heads, ballasts, kits & accessories

Page 23 Profoto Air System

Wireless sync and control

Page 25 Light Shaping Tools

Style your light to perfection

Hard Reflectors

Ringflash Reflectors

Softboxes

Collapsible Reflectors

. Umbrellas

Giant Reflectors & Giants

Cine Reflector

Other Light Shaping Tools

Page 35 Special application heads

Heads & accessories

Page 40 Accessories

The bits and pieces that ties it all together.

Bags & cases

Batteries

Battery chargers

Cables

Flash tubes

Glass covers

Lamps

Powering accessories

Stands

Transport caps

Other accessories

Pro System Generators, heads & accessories



Pro Studio Generators





Products

Pro-8a

Both models feature two outlets, individually adjustable in 1/10 f-stop increments. Very wide power range. Remarkably stable light output and color temperature over range and from flash-to-flash. Extremely fast recycling, capable of firing up to 20 flashes per second. Flash duration down to 1/12,000 sec and kept short even at higher light output. Modeling light up to 2x500W. Built-in Profoto Air wireless sync and remote control with a range up to 300 m. Multi voltage 100-120V / 200-240V / 50-60Hz.

Product no.	Description	Price € exl. VAT
901001	Pro-8a 1200 Air Energy 1200 Ws. Energy control 5-1200Ws (9 f-stop). Recycle time 0.05-0.5 sec. Flash duration (t0.5) 1/12,000-1/2,200 sec. Delivered with power cable and synchro cable.Size: 34.5 x 18.5 x 25 cm / 13.6 x 7.3 x 9.8 in. Weight 11.4 kg/25.2 lbs.	€7458
901002	Pro-8a 2400 Air Energy 2400 Ws. Energy control 5-2400Ws (10 f-stop). Recycle time 0.05-0.9 sec. Flash duration (t0.5) 1/12,000-1/1,600 sec. Delivered with power cable and synchro cable. Size: $37 \times 18.5 \times 25$ cm / 14.5 x 173 x 9.8 in. Weight 12.2 kg/26.9lbs.	€ 9 349
	Accessories	
100217	ProGas2 Device to protect flash equipment from fluctuating (high) input voltage. Recommended to use when flash equipment is powered from a 230V petrol electric generator.	€ 556

Pro Studio Generators







Products

Pro-B4 Air

All models feature two outlets, individually adjustable in 1/10 f-stop increments. Huge 11 f-stop power range. Extremely fast recycling, capable of firing up to 30 flashes per sec. Flash duration down to 1/25,000 sec and very short even at higher light output. Remarkably stable light output and color temperature over range and from flash-to-flash. Modeling light up to 1x500W or 2x250W. Built-in Profoto Air wireless sync and remote control with a range up to 300 m. Lithium-lon battery provides up to 220 full power flashes per battery charge. Battery recharges in just 45 minutes with standard charger and can be charged while in use.

Product no.	Description	Price € exl. VAT
901084	Pro-B4 1000 Air Energy 1000 Ws. Energy control 1-1000Ws (11 f-stop). Recycle time: 0.03-0.99 sec. Flash duration (t0.5): 1/25,000-1/2,000 sec. Delivered with battery and charger. Size: 31.5 x 18 x 25 cm / 12.4 x 7.1 x 9.8 in. Weight: 9.8 kg / 21.6 lbs. (incl. Battery)	€ 6 299
901089	Pro-B4 1000 Air Kit incl. 2 batteries Same as 901084 but delivered with 2 batteries.	€7107
	Accessories	
900925	Li-Ion Battery for Pro-B4 (Quick exchange battery cassette for Pro-B4, providing 220 full power flashes)	€ 876
100304	Battery Quick Charger for Pro-B4 (Multivoltage charger for Pro-B4, recharges battery in 45 minutes, incl. mains cable)	€ 472
340208	Pro-B4 Protective Bag (fits one Pro-B4 with battery and charger)	€ 211

Heads for Pro & Pro-B Generators



Product no.	Description	Price € exl. VAT
900752	ProHead Plus UV 250W, Zoom Reflector Including Zoom reflector, flashtube, 250W modeling lamp, frosted 75mm glass cover, plastic transport cap and power handle. The head has a 5/8 inch stand adapter and a 4 m lamp cable. The new Plus version has been upgraded with improved lamphead connector, Perfect ARC flashtube, stand adapter and glass cover.	€1696
900753	ProHead Plus UV 500W, Zoom Reflector Same as 900752 but with 500W modeling light and frosted 100mm glass cover.	€1745
900719	ProTwin UV 500 W, Magnum reflector	€ 2 727
	Including Magnum reflector, dual flashtubes, 500W modeling lamp, frosted 100mm glass cover, plastic transport cap and power handle. The head has a 5/8 inch stand adapter and a 4 m lamp cable.	
900755	Pro-B Head Plus UV, Disc Reflector Including Disc reflector, flashtube, 100W modeling lamp, frosted 75mm glass cover and plastic transport cap. The head has a 5/8 inch stand adapter and a 4 m lamp cable. The new Plus version has been upgraded with improved lamphead connector, Perfect ARC flashtube, stand adapter and glass cover. NOTE! Only for Pro battery generators, Max 100W modelling lamp.	€ 886
900794	Pro-B Head Plus UV, Zoom Reflector Same as 900755 but delivered with Zoom reflector.	€ 965
300514	ProRing Plus UV With flashtube and UV-coated protection glass. Adjustable L-bracket fits most DSLR and medium format cameras. 4m lamp cable. The new Plus version has been upgraded with an improved lamphead connector. NOTE! Max energy = 2400 Ws (9600 Ws/min). The flashtube is not user replaceable, needs to be exchanged at a Profoto service station.	€1377
300519	ProRing2 plus UV With flashtube and protective steel mesh. 200W modeling light. Adjustable L-bracket fits most DSLR and medium format cameras. 4m lamp cable. The new Plus version has been upgraded with an improved lamphead connector. NOTE! Max energy = 2400 Ws.	€ 2 112
	Accessories	
100708	Transport Protective Cap (for ProHead, Pro-B Head and ProTwin, AcuteD4 Head, AcuteD4 Twin and AcuteB head)	€ 15
100638	Metal Protective Cap (for ProHead, Pro-B Head, ProTwin, AcuteD4 Head, AcuteD4 Twin and AcuteB head)	€77
303518	Pro Lamp Extension Cable 5 m (for all Proheads)	€ 291
303519	Pro Lamp Extension Cable 10 m (for all Proheads)	€ 394
102002	250 W.120 V Halogen Mini-can E11 socket	€ 25
102007	500 W. 120 V Halogen Mini-can E11 socket	€ 35
102014	100 W. 120 V Halogen Mini-can E11 socket	€ 22
100709	Handle ProHead (Power handle for easier head adjustment. Accessory for Pro-B Head Plus)	€39
100702	Locking Device Kit (2pcs, replacement springs to lock glass covers)	€9
101074	Stand Adapter Plus 16 mm / 5/8 inch (Pro Plus standard stand adapter for all standard Pro and Acute heads)	€ 35
301503	Glass Cover Ringflash	€ 27

6

D4 & Acute2 System Generators, heads, kits & accessories



D4 & Acute2 Studio Generators



Products

D4 Air

All models feature four outlets, individually adjustable in 1/10 f-stop increments. Very wide power range. Unbeaten consistency in light output and color temperature over range and from flash-to-flash. Fast recycling, capable of firing up to 10 flashes per second. Optional sequence and delay settings. Modeling light up to 4x500W. Built-in Profoto Air wireless sync and remote control with a range up to 300 m. Multi voltage 100-120V / 200-240V / 50-60Hz.

Acute2R

All models have 3 outlets with symmetrical/assymmetrical power distribution, adjustable over a 6 f-stop power range. Fast recycling. Modeling light up to 2x500W or 3x250W. Multivoltage 90-130V / 180-250V / 50/60Hz. The R-versions has PocketWizard 32-Channel/Quad-Triggering Receiver built-in.

Product no.	Description	Price € exl. VAT
900891	D4 1200 Air Energy 1200 Ws. Energy control 9-1200Ws (8 f-stop). Recycle time: 0.07-1.2 sec. Flash duration (t0.5): 1/7,500-1/1,000 sec. Delivered with power cable and synchro cable. Size: 29 x 20 x 28 cm / 11.6 x 8 x 11.2 in. Weight: 10 kg / 22 lbs."	€ 6 477
900892	D4 2400 Air Energy 2400 Ws. Energy control 18-2400Ws (8 f-stop). Recycle time: 0.09-2.2 sec. Flash duration (t0.5): 1/4,500-1/600 sec. Delivered with power cable and synchro cable. Size: 32 x 20 x 28 cm / 12.8 x 8 x 11.2 in. Weight: 11.5 kg / 25 lbs."	€ 7 445
900893	D4 4800 Air Energy 4800 Ws. Energy control 38-4800Ws (8 f-stop). Recycle time: 0.12-4.4 sec. Flash duration (t0.5): $1/2$,700- $1/3$ 50 sec. Delivered with power cable and synchro cable. Size: $36 \times 20 \times 28$ cm / $14.4 \times 8 \times 11.2$ in. Weight: 13.5 kg / 29.5 lbs.".	€ 8 975
900773	Acute2 1200 Energy 1200 Ws. Energy control 37.5-1200Ws (6 f-stop). Recycle time: 0.09-1.6 sec. Flash duration (t0.5): 1/3,200-1/350 sec. Delivered with power cable and synchro cable. Size: 22 x 19 x 13 cm / 8.7 x 7.5 x 5 in. Weight: 4.1 kg / 9 lbs."	€ 1 716
900775	Acute2R 1200 344 MHz Same as 900773 but with Pocket Wizard receiver built-in. Compatible with 344 MHz Pocket Wizard transmitters.	€ 2 132
900811	Acute2R 1200 433 MHz Same as 900773 but with Pocket Wizard receiver built-in. Compatible with 433 MHz Pocket Wizard transmitters.	€ 2 132
900774	Acute2 2400 Energy 2400 Ws. Energy control 75-2400Ws (6 f-stop). Recycle time: 0.18-3.2 sec. Flash duration (t0.5): 1/1,800-1/320 sec. Delivered with power cable and synchro cable. Size: 30 x 19 x 13 cm / 11.7 x 7.5 x 5 in. Weight: 5.9 kg / 12.9 lbs"	€ 2 326
900776	Acute2R 2400 344 MHz Same as 900774 but with Pocket Wizard receiver built-in. Compatible with 344 MHz Pocket Wizard transmitters.	€ 2 742
900812	Acute2R 2400 433 MHz. Same as 900774 but with Pocket Wizard receiver built-in. Compatible with 433 MHz Pocket Wizard transmitters.	€ 2 742
	Accessories	
100281	Dust cover D4 Generator (Protects generator from dust in rough environments)	€77
103201	USB Standard Cable 5 m (for wire connection to computer when using Profoto Studio software)	€ 6

Heads for Acute2

Products

Heads for Acute2

The AcuteD4 Head, the AcuteD4 Twin and the AcuteD4 Ring are compatible with all Acute and D4 generators. The AcuteD4 heads have a compact, functional design and perform extremely consistent with the generators they are dedicated for.

Note: Modeling lamp should correspond to local mains voltage

Product no.	Description	Price € exl. VA
900666	AcuteD4 Head UV 230 V. 250 W	€1049
	Including Zoom reflector, flashtube, 250W/230V modeling lamp, frosted 75mm glass cover and plastic transport cap. The head has a 5/8 inch stand adapter and a 4 m lamp cable.	
900669	AcuteD4 Head UV 230 V.500 W Including Zoom reflector, flashtube, 500W/230V modeling lamp, frosted 100mm glass cover and plastic transport cap. The head has a 5/8 inch stand adapter and a 4 m lamp cable.	
900625	AcuteD4 Head UNC 230 V.250 W Same as 900966 but with uncoated glass cover that provides a colder white light (+300K).	€1042
900618	AcuteD4 Head UNC 120 V. 250 W Same as 900625 but with 120V modeling lamp.	€1042
900678	AcuteD4 Twin UV 230 V.500 W Including Magnum reflector, 2 flashtubes, 500W/230V modeling lamp, frosted 100mm glass cover and plastic transport cap. The head has a 5/8 inch stand adapter and a 4 m lamp cable.	€1857
900619	AcuteD4 Twin UNC 120 V.500 W Same as 900617 but with 120V modeling lamp.	€1846
330513	AcuteD4 Ring Including flashtube and UV-coated protection glass. Adjustable L-bracket fits most DSLR and medium format cameras. 4m lamp cable. NOTE! Max energy = 2400 Ws (9600 Ws/min). The flashtube is not user replaceable, needs to be exchanged at a Profoto service station.	€ 873
330514	AcuteD4 Ring UNC Including flashtube and uncoated protection glass that privides a colder white light (+300K). Adjustable L-bracket fits most DSLR and medium format cameras. 4m lamp cable. NOTE! Max energy = 2400 Ws (9600 Ws/min). The flashtube is not user replaceable, needs to be exchanged at a Profoto service station.	€ 873
	Accessories	
100708	Transport Protective Cap (for ProHead, ProB Head and ProTwin, AcuteD4 Head, AcuteD4 Twin and AcuteB head)	€ 15
100638	Metal Protective Cap (for ProHead, Pro-B Head, ProTwin, AcuteD4 Head, AcuteD4 Twin and AcuteB head)	€77
330601	Lamp extension cable for AcuteD4 heads 5m (for AcuteD4 Head, AcuteD4 Twin and AcuteD4 Ring)	€ 222
102002	250 W. 120 V Halogen Mini-can E11 socket	€ 25
102007	500 W.120 V Halogen Mini-can E11 socket	€ 35
102014	100 W. 120 V Halogen Mini-can E11 socket	€ 22
102013	250 W. 240 V Halogen Mini-can E11 socket	€ 23
102015	500 W. 240 V Halogen Mini-can E11 socket NOTE! For AcuteD4 heads, always use modeling lamps with voltage corresponding to local mains voltage.	€ 35
102018	65 W.12 V Halogen GX/GY 6.35 (AcuteB Head only)	€ 12
100702	Locking Device Kit (2pcs, replacement springs to lock glass covers)	€9
101074	Stand Adapter Plus 16 mm / 5/8 inch (Pro Plus standard stand adapter for all standard Pro and Acute heads)	€ 35

Acute2 Value Kits

Products

Acute2 value kits

Acute2 Value Kits include 1 x Acute2 generator, 2 x AcuteD4 Heads and 1 x carrying bag. Add a couple of stands and it is a complete studio lighting setup!

Product no.	Description	Price € exl. VAT
900771	Acute 2 1200 Value Kit (incl. 900773, 2 x 900666 and 330212)	€ 3 304
900772	Acute2 2400 Value Kit (incl. 900774, 2 x 900666 and 330212)	€ 3 815
900823	Acute2R 1200 Value Kit EUR (incl. 900811. 2x900666 and 330212)	€ 3 660
900824	Acute2R 2400 Value Kit EUR (incl. 900812, 2x900666 and 330212)	€ 4 180
900691	Acute2 1200 Value Kit 500W (incl. 900773, 2 x 900669 and 330212)	€ 3 376

Heads for AcuteB



Products

AcuteB Heads

AcuteB heads are compatible with our AcuteB2 generators. The combination is small and lightweight with impressive performance. Perfect to bring out on the road. Please note that the AcuteB2 generator is discontinued since 2014.

Product no.	Description	Price € exl. VAT
900935	AcuteB Head UV Including Disc reflector, flashtube, 65W modelling lamp, frosted 75mm glass cover and plastic transport cap. The head has a 5/8 inch stand adapter and a 4 m lamp cable.	€ 712
900937	AcuteB Head Zoom UNC Same as 900936 but with uncoated glass cover that provides a colder white light (+300K).	€734
	Accessories	
901106	LiFe Battery incl. Cassette (Lithium-Ion battery for AcuteB2, providing 240 full power flashes)	€ 402
100290	Profoto Battery Charger 1A (Standard charger for AcuteB and AcuteB2, recharges battery in 5 hours)	€ 115
100218	Profoto Battery Charger 2 A (Multivoltage charger for Pro-B3, Pro-B2, Pro-7b and AcuteB2)	€ 240
100303	Profoto Adapter 120W (Adapter to power AcuteB and AcuteB2 modelling light from mains)	€ 289
330606	AcuteB2-Head Split Cable (Turns a single outlet into two symmetrical outlets. Only for AcuteB Heads)	€ 239
100708	Transport Protective Cap (for ProHead, Pro-B Head and ProTwin, AcuteD4 Head, AcuteD4 Twin and AcuteB head)	€ 15
100638	Metal Protective Cap (for ProHead, Pro-B Head, ProTwin, AcuteD4 Head, AcuteD4 Twin and AcuteB head)	€77
102018	65 W. 12 V Halogen GX/GY 6.35 (AcuteB Head only)	€ 12
100702	Locking Device Kit (2pcs, replacement springs to lock glass covers)	€9
101074	Stand Adapter Plus 16 mm / 5/8 inch (Pro Plus standard stand adapter for all standard Pro and Acute heads)	€ 35
330211	Bag S Handy softpadded bag with shoulderstrap. Fits for example two D1 or B1 flashes or one AcuteB2 with an AcuteBHead.	€ 95

Off-Camera Flash System B1, B2, kits & accessories



Off-Camera Flash

B1, B2 & kits









Products

B1500 AirTTL

Cordless, battery-powered off-camera flash with TTL and HSS. The integrated and patent pending AirTTL technology takes the concept of "point and shoot" to the next level and also allows wireless sync and remote control with any optional Profoto Air transceiver. Powerful output adjustable in 1/10 f-stop increments over a 9 f-stop power range. Bright auto-proportional LED modeling light. An exchangeable, integrated Lithium-Ion battery provides up to 220 full-power flashes per charge. It is also fast. At lower power settings, the B1 will produce up to 20 flashes per second. Has a built-in reflector and umbrella holder. Compatible with more than 150 Light Shaping Tools.

B2 250 AirTTL

The B2 250 AirTTL is a portable off-camera flash built on the same concept as the award winning B1 with TTL and HSS. The integrated and patent pending AirTTL technology takes the concept of "point and shoot" to the next level and also allows wireless sync and remote control with any optional Profoto Air transceiver. Powerful output adjustable in 1/10 f-stop increments over a 9 f-stop power range. Bright LED modeling light. An exchangeable, integrated Lithium-Ion battery provides up to 215 full-power flashes per charge. It is also fast. At lower power settings, the B2 will produce up to 20 flashes per second. Has a built-in reflector and umbrella holder. Compatible with more than 150 Light Shaping Tools. The B2 consists of two parts: head and battery pack. The head is small and light enough to be put on a monopod or on a bracket on your camera. The battery pack itself comes with a handy carrying bag that can be put on your shoulder, belt or hung on a stand.

Product no.	Description	Price € exl. VAT
901094	B1500 AirTTL To-Go Kit Energy 500 Ws. Energy control 2-500Ws (9 f-stop), Recycle time: 0.1-1.9 sec. Flash duration (t0.5): 1/1,000-1/19,000 sec. Delivered with Protective Cap, Li-lon Battery, Battery Charger 2.8A and Bag XS. Size: 31 x 14 x 21 cm (12.2 x 5.5 x 8.3 in). Weight: 3.0 kg (6.6 lbs) including battery.	€1607
901092	B1500 AirTTL Location Kit Including 2 x B1 AirTTL with batteries, charger 4.5A, car charger, and Backpack M.	€ 3 171
901109	B2 250 AirTTL To-Go Kit Energy 250 Ws. Energy control 1-250Ws (9 f-stop). Recycle time: 0.03-1.35 sec. Flash duration (t0.5): 1/1,000-1/15,000 sec. Delivered with 1 x B2 generator, 1 x Li-lon Battery, 1 x B2 Head with protective cap, 1 x B2 Location Bag, 1 x B2 Carrying Bag, 1 x Battery Charger 2.8A.	€1496
901110	B2 250 AirTTL Location Kit Same content as To-Go kit plus 1 extra B2 Head and 1 extra Li-lon battery	€ 2 079
901107	B2 250 AirTTL w/o battery Only the B2 generator without battery. Delivered in white paper box.	€1050
901108	B2 Head Only the B2 Head. Delivered in white paper box.	€ 495

Off-Camera Flash

Accessories







Product no.	Accessories	Price € exl.VAT
901039	Air Remote TTL-C Attach this small unit to your Canon camera to wirelessly integrate your Off-Camera Flash with your camera. Note that this remote is dedicated to Canon EOS cameras with Canon ETTL-II metering system. Check Air Remote TTL-C product page on Profoto.com for list of compatible cameras. Delivered with handstrap, batteries and Accessory Pouch.	€ 310
901040	Air Remote TTL-N Attach this small unit to your Nikon camera to wirelessly integrate your Off-Camera Flash with your camera. Note that this remote is dedicated to Nikon DSLR cameras with Nikon iTTL metering system. Check Air Remote TTL-N product page on Profoto.com for list of compatible cameras. Delivered with handstrap, batteries and Accessory Pouch.	€ 310
100323	Li-Ion Battery for B1 High-capacity battery for the B1, providing up to 220 full-power flashes per charge.	€ 207
100396	Li-lon Battery for B2 High-capacity battery for the B2, providing up to 215 full-power flashes per charge.	€ 180
100308	Battery Charger 2.8A Standard charger that fully recharges the B1's battery in two hours and the B2's in one hour. Delivered with power cable and Accessory Pouch.	€109
100309	Battery Charger 4.5A (For B1 only. Should not be used with B2) Optional fast charger for B1 that fully recharges the B1's battery in only one hour. Delivered with power cable and Accessory Pouch.	€ 165
100330	Car Charger 1.8A Plugs into any standard car cigarette connector and fully recharges the B1's battery in two hours and the B2's in only one hour. Delivered with Accessory Pouch.	€83
330607	B2 AirTTL Extension cable 3m With the Extension Cable connected, you can position the B2 flash head up to three meters away from the pack.	€ 160
330223	BackPack M Travel with comfort to your on-location shoot. This handy, high quality backpack fits two B1 or D1 flashes with accessories and stands. It can also be used for other photographic equipment thanks to the adjustable inner compartments.	€ 276
330224	Bag XS Tailor-made case for protecting photographic equipment. The Bag XS is a standard accessory for the B1, but can also be used to protect D1s, cameras, lenses and other smaller accessories during storage and transport thanks to the adjustable inner compartments.	€ 65
340216	B2 Location Bag Neatly designed, tailor-made shoulder bag with side pockets and adjustable compartments. Fits a B2 battery pack and two flash heads plus spare battery and charger.	€ 160
340209	B2 Carrying Bag A handy little bag that houses and protects the B2 battery pack. Carry it on your belt or shoulder or hang it on a stand.	€80
330226	Accessory Pouch For storing accessories such as Air Remotes, chargers and smaller camera accessories.	€ 11
100799	Protective Cap (Fits the D1 Monolights and the Off-Camera flashes)	€ 16

Off-Camera Flash OCF Light Shaping Tools









Products

OCF Beauty Dishes

The OCF Beauty Dish is a collapsible and more portable version of the classic Profoto Softlight Reflector. It creates a creamy yet crisp light, often referred to as a "beauty light." When it comes to bringing out the beauty of your subjects, it is second to none. Since it is tailor-made for on-location photography, the OCF Beauty Dish is compact, lightweight and easy to use. High-quality fabrics and patent-pending design allows you to snap it onto the speedring without having to bendand fumble with the rods.

OCF Softboxes

OCF Softboxes are softboxes tailor-made for fast and easy on-location photography. Like any other softbox, OCF Softboxes create a soft and flattering light. But unlike any other softbox, they are made in a unique material that is both lightweight and easy to fold and unfold. Add to that the fixed diffuser, the patent-pending speedring and the color-coded rods. Put all that together, and you have a softbox that is faster and easier to set up than any other on the market. There are four OCF Softboxes to choose from, each with a unique size and shape: strip, square, rectangular and octagonal. All four can be equipped with a Softgrid for even more precise light shaping.

OCF Speedring

The OCF Speedring is used for mounting an OCF Softbox or an OCF Beauty Dish on your off-camera flash. It is not your everyday speedring, though. Not only is it more compact and lightweight, but the patent-pending design allows you to snap on the softbox without having to bend and fumble with the rods, while the clever color-codes show you exactly how to assemble the unit. The classic Profoto rubber collar and clasp makes it easy to mount the OCF Speedring on the off-camera flash.

Product no.		Description	Price € exl. VAT
101220	New	OCF Beauty Dish White 2'(60cm)	€ 160
101221	New	OCF Beauty Dish Silver 2' (60cm)	€160
101211		OCF Softbox 2' Octa (60cm)	€120
101213		OCF Softbox 1,3x1,3' (40x40cm)	€80
101215		OCF Softbox 2x3' (60x90cm)	€ 160
101217		OCF Softbox 1x3' (30x90cm)	€ 140
101212		OCF Softgrid 2' Octa	€80
101214		OCF Softgrid 1,3x1,3'	€ 50
101216		OCF Softgrid 2x3'	€ 90
101218		OCF Softgrid 1x3'	€ 90
101210		OCF Speedring	€80



All OCF Light Shaping Tools may only be used with Profoto Off-Camera Flashes that have a LED modeling light. Both OCF Beauty Dishes and OCF Softboxes require an OCF Speedring that is sold separately.

Off-Camera Flash OCF Light Shaping Tools









Products

OCF Gels

Add color to your palette with the OCF Gels. There are 20 gels to choose from, ten are color correction gels for balancing your flash with, for instance, sunshine or indoor lighting, while the other ten are color effect gels. Add them to boost your creativity and shape light in color. OCF Gels are pre-cut to fit Profoto Off-Camera Flashes, and mounted in the blink of an eye thanks to a unique and clever snap-on solution. OCF Gels are sold in three different kits. The OCF Color Gel Starter Kit includes the ten most popular gels plus the actual Grid&GelHolder. In addition, there is an OCF Color Correction Gel Pack and an OCF Color Effects Pack, each with 20 gels.

OCF Grid Kit

The OCF Grid Kit is a small and super portable kit consisting of a holder and three different honeycomb grids. Attach any of the three grids in front of the off-camera flash to reduce its light spread to either 10°, 20° or 30°. This gives you a direct, circular shape of light that can be used for many applications, such as accent or hair light, intriguing background effects or simply for controlling stray light. The grids are easily attached to your off-camera flash in a matter of seconds. Each grid can also be used together with the OCF Snoot, the OCF Barndoor and OCF Gels, thanks to a unique stacking system.

OCF Barndoor

A compact and portable light shaping tool that gives you precise control of the light spread. The four barndoors can be adjusted individually and the entire tool can be rotated 360° on the flash head, allowing you to control and shape light in an almost infinite number of ways. The OCF Barndoor is made of a strong glass fiber that makes it lightweight and extremely durable. The OCF Barndoor is easily snapped onto the off-camera flash, ready to be used in a matter of seconds.

OCF Snoot

A compact and portable light shaping tool that drastically reduces the light spread from your off-camera flash. The effect is a crisp and direct light with almost no spill light. The light has a beautiful, round shape, which can be used as hair light or any other application when only a small area needs to be illuminated. The OCF Snoot is made of a strong glass fiber that makes it lightweight and extremely durable.

Product no.		Description	Price € exl. VAT
101037	New	OCF Color Gel Starter Kit (Including Grid&GelHolder, two gel attachment pieces and a gel wallet with 10 gels)	€ 90
101038	New	OCF Color Correction Gel Pack (Including a gel wallet with 20 gels)	€ 50
101039	New	OCF Color Effects Gel Pack (Including a gel wallet with 20 gels)	€ 50
101030		OCF Grid Kit Including 10/20/30° grids, grid holder and soft bag	€80
101203		OCF Barndoor Delivered in practical soft bag	€80
101200		OCF Snoot	€ 50



All OCF Light Shaping Tools may only be used with Profoto Off-Camera Flashes that have a LED modeling light. Gel packs require an OCF Color Gel Starter Kit.

D1 Monolights Monolights, kits & accessories



D1 Monolights



Products

D1

All model have a wide 7f-stop power range adjustable in 1/10 or 1 f-stop increments.

Bright, auto-proportional modeling light (300W halogen). Integrated reflector and umbrella holder. Compatible with more than 120 Light Shaping Tools.

Can also be used at locations with no power outlets if used with Profoto's portable power source the BatPac. The Air versions include integrated Profoto Air wireless sync and remote control with a range up to 300 m.

901021 D1250 C PAI 250	Product no.	Description	Price € exl. VAT
901022 D1 Air 250 Energy 25D Ws. Energy control 3.9-250Ws. Recycle time: 0.2-0.65 sec. Flash duration (t0.5): 1/3.700-1/1.400 sec. Delivered with power cable and protective transport cap. Size: 30 x 13 x 17 cm, 11.8 x 5.12 x 6.7 inch. Weight: 2.24 kg / 4.93 lbs. 901023 D1 500 € 954			
Energy 250 Ws. Energy control 3.9-250Ws. Recycle time: 0.2-0.65 sec. Flash drustion (10.5): 1/3.700-1/1.400 sec. Delivered with power cable and protective transport cap. Size: 30 x 13 x 17 cm, 11.8 x 5.12 x 6.7 inch. Weight: 2.24 kg / 4.93 lbs. 901024 D1 Air 500 Energy 500 Ws. Energy control 7.8-500Ws. Recycle time: 0.2-0.95 sec. Flash duration (10.5): 1/2.600-1/1.000 sec. Delivered with power cable and protective transport cap. Size: 30 x 13 x 17 cm, 11.8 x 5.12 x 6.7 inch. Weight: 2.44 kg / 5.38 lbs. 901025 D1 Air 1000 Energy 1000 Ws. Energy control 15.6-1000Ws. Recycle time: 0.2-0.2 sec. Flash duration (10.5): 1/1.600-1/700 sec. Delivered with power cable and protective transport cap. Size: 30 x 13 x 17 cm, 11.8 x 5.12 x 6.7 inch. Weight: 2.44 kg / 5.38 lbs. Accessories Accessories Accessories 801123 BatPac 230V EU Portable power source with two EU 230V outlets. Delivered with Charger 2A (1002/18), power cable's (2 x 102501) & BatPac bag 901124 BatPac 120V US Portable power source with two US 120V outlets. Delivered with Charger 2A (1002/18), power cable's (2 x 102509) & BatPac bag 330211 Bag S Softpadded kit bag with shoulder strap, suitable for AcuteB2 Kit or D1 Basic Kit. 330212 Bag M Softpadded kit bag with shoulder strap, suitable for AcuteB2 Kit or D1 Studio Kits. C 266 Trolley bag L Large softpadded kit bag with wheels and shoulder strap. D1 3-head Studio Kits. C 266 Grid Small 10° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) Grid Small 10° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) Fits the D1 Kit Stand Umbrella White small Forestime C-2-2 kg / Large Standard C-2 kg / Large St	901021	D1250	€ 742
Flash duration (IO.5): 1/3,700-1/1,400 sec. Delivered with power cable and protective transport cap. Size: 30 x 13 x 17 cm, 11.8 x 5.12 x 6.7 inch. Weight: 2.24 kg / 4.93 lbs.	901022	D1 Air 250	€ 869
901024 D1 Air 500 Energy 500 Ws. Energy control 7.8-500Ws. Recycle time: 0.2-0.95 sec. Flash duration (t0.5): 1/2,600-1/1,000 sec. Delivered with power cable and protective transport cap. Size: 30 x 13 x 17 cm, 11.8 x 5.12 x 6.7 inch. Weight: 2.44 kg / 5.38 lbs. 901025 D1 Air 1000 Energy 1000 Ws. Energy control 15.6-1000Ws. Recycle time: 0.2-2 sec. Flash duration (t0.5): 1/1,800-1/700 sec. Delivered with power cable and protective transport cap. Size: 30 x 13 x 17 cm, 11.8 x 5.12 x 6.7 inch. Weight: 2.94 kg / 6.48 lbs. Accessories 901123 BatPac 230V EU Portable power source with two EU 230V outlets. Delivered with Charger 2A (100218), power cable's (2 x 102501) & BatPac bag 901124 BatPac 120V US Portable power source with two US 120V outlets. Delivered with Charger 2A (100218), power cable's (2 x 102509) & BatPac bag 330211 Bag S Softpadded kit bag with shoulder strap, suitable for AcuteB2 Kit or D1 Basic Kit. 330212 Bag M Softpadded kit bag with shoulder strap, suitable for Acute2 Value Kit or D1 Studio Kit. 4 Eag S Softpadded kit bag with with umbrellas to reduce spill light. Fits directly on the D1 Monolights and the Off-Camera flashes) 6 266 100794 Grid Small 5' (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) 6 265 6 266 100796 Grid Small 10' (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) 6 267 9 27 Umbrella White small 100797 Umbrella White small 100798 Protective Cap (Fits the D1 Monolights and the Off-Camera flashes) 100799 Protective Cap (Fits the D1 Monolights and the Off-Camera flashes)		Flash duration (t0.5): 1/3,700-1/1,400 sec. Delivered with power cable and protective	
Energy 500 Ws. Energy control 7.8-500Ws. Recycle times: 0.2-0.95 sec. Flash duration (t0.5): 1/2,600-1/1,000 sec. Delivered with power cable and protective transport cap. Size: 30 x 13 x 17 cm, 11.8 x 5.12 x 6.7 inch. Weight: 2.44 kg / 5.38 lbs. 901025 D1 Air 1000 Energy 1000 Ws. Energy control 15.6-1000Ws. Recycle time: 0.2-2 sec. Flash duration (t0.5): 1/1,800-1/700 sec. Delivered with power cable and protective transport cap. Size: 30 x 13 x 17 cm, 11.8 x 5.12 x 6.7 inch. Weight: 2.94 kg / 6.48 lbs. Accessories 901123 BatPac 230V EU Portable power source with two EU 230V outlets. Delivered with Charger 2A (100218), power cable's (2 x 102501) & BatPac bag 901124 BatPac 120V US Portable power source with two US 120V outlets. Delivered with Charger 2A (100218), power cable's (2 x 102509) & BatPac bag 330211 Bag S Softpadded kit bag with shoulder strap, suitable for AcuteB2 Kit or D1 Basic Kit. 330212 Bag M Softpadded kit bag with shoulder strap, suitable for AcuteB2 Value Kit or D1 Studio Kit. 7 rolley bag L Large softpadded kit bag with wheels and shoulder strap. D1 3-head Studio Kits. 6 266 100794 SpillKill Small (Used with umbrellas to reduce spill light. Fits directly on the D1 Monolights and the Off-Camera flashes) 6 376 6 Grid Small 5° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) 6 376 6 Grid Small 10° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) 7 Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) 8 50 100797 10 Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) 100797 10 Umbrella White small 100797 10 Umbrella White small 100799 Protective Cap (Fits the D1 Monolights and the Off-Camera flashes) 100799	901023	D1500	€ 826
Flash duration (10.5): 1/2.600-1/1,000 sec. Delivered with power cable and protective transport cap. Size: 30 x 13 x 17 cm, 11.8 x 5.12 x 6.7 inch. Weight: 2.44 kg / 5.38 lbs. 901025 D1 Air 1000 Energy 1000 Ws. Energy control 15.6-1000Ws. Recycle time: 0.2-2 sec. Flash duration (10.5): 1/1,800-1/700 sec. Delivered with power cable and protective transport cap. Size: 30 x 13 x 17 cm, 11.8 x 5.12 x 6.7 inch. Weight: 2.94 kg / 6.48 lbs. Accessories 901123 BatPac 230V EU Portable power source with two EU 230V outlets. Delivered with Charger 2A (100218), power cable's (2 x 102501) & BatPac bag 901124 BatPac 120V US Portable power source with two US 120V outlets. Delivered with Charger 2A (100218), power cable's (2 x 102509) & BatPac bag 330211 Bag S Softpadded kit bag with shoulder strap, suitable for AcuteB2 Kit or D1 Basic Kit. 330212 Bag M Softpadded kit bag with shoulder strap, suitable for AcuteB2 Value Kit or D1 Studio Kit. 330220 Trolley bag L Large softpadded kit bag with wheels and shoulder strap. D1 3-head Studio Kits. 6 266 100794 SpillKill Small (Used with umbrellas to reduce spill light. Fits directly on the D1 Monolights and the Off-Camera flashes) Grid Small 10° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) D1 Kit Stand Umbrella White small OT0797 Umbrella White small OT0799 Protective Cap (Fits the D1 Monolights and the Off-Camera flashes) E1 86	901024		€ 954
Energy 1000 Ws. Energy control 15.6-1000Ws. Recycle time: 0.2-2 sec. Flash duration (10.5): 1/1,800-1/700 sec. Delivered with power cable and protective transport cap. Size: 30 x 13 x 17 cm, 11.8 x 5.12 x 6.7 inch. Weight: 2.94 kg / 6.48 lbs. Accessories 901123 BatPac 230V EU Portable power source with two EU 230V outlets. Delivered with Charger 2A (100218), power cable's (2 x 102501) & BatPac bag 901124 BatPac 120V US Portable power source with two US 120V outlets. Delivered with Charger 2A (100218), power cable's (2 x 102509) & BatPac bag 330211 Bag S Softpadded kit bag with shoulder strap, suitable for AcuteB2 Kit or D1 Basic Kit. 330212 Bag M Softpadded kit bag with shoulder strap, suitable for AcuteB2 Kit or D1 Studio Kit. 330220 Trolley bag L Large softpadded kit bag with wheels and shoulder strap. D1 3-head Studio Kits. 6 266 100794 SpillKill Small (Used with umbrellas to reduce spill light. Fits directly on the D1 Monolights and the Off-Camera flashes) 6 265 6 276 Grid Small 5° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) 6 277 Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) 7 2 3 4 4 5 5 5 6 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7		Flash duration (t0.5): 1/2,600-1/1,000 sec. Delivered with power cable and protective	
Flash duration (10.5): 1/1,800-1/700 sec. Delivered with power cable and protective transport cap. Size: 30 x 13 x 17 cm, 11.8 x 5.12 x 6.7 inch. Weight: 2.94 kg / 6.48 lbs. Accessories 901123 BatPac 230V EU Portable power source with two EU 230V outlets. Delivered with Charger 2A (100218), power cable's (2 x 102501) & BatPac bag 901124 BatPac 120V US Portable power source with two US 120V outlets. Delivered with Charger 2A (100218), power cable's (2 x 102509) & BatPac bag 330211 Bag S Softpadded kit bag with shoulder strap, suitable for AcuteB2 Kit or D1 Basic Kit. 330212 Bag M Softpadded kit bag with shoulder strap, suitable for AcuteB2 Kit or D1 Studio Kit. 330220 Trolley bag L Large softpadded kit bag with wheels and shoulder strap. D1 3-head Studio Kits. © 266 266 276 381Kill Small (Used with umbrellas to reduce spill light. Fits directly on the D1 Monolights and the Off-Camera flashes) Grid Small 5° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) Grid Small 10° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) Crid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) D1 Kit Stand Umbrella White small OTRES (Fits the D1 Monolights and the Off-Camera flashes) Crid Umbrella White small OTRES (Fits the D1 Monolights and the Off-Camera flashes)	901025	D1 Air 1000	€1365
901123 BatPac 230V EU Portable power source with two EU 230V outlets. Delivered with Charger 2A (100218), power cable's (2 x 102501) & BatPac bag 901124 BatPac 120V US Portable power source with two US 120V outlets. Delivered with Charger 2A (100218), power cable's (2 x 102509) & BatPac bag 330211 Bag S Softpadded kit bag with shoulder strap, suitable for AcuteB2 Kit or D1 Basic Kit. 330212 Bag M Softpadded kit bag with shoulder strap, suitable for Acute2 Value Kit or D1 Studio Kit. 330220 Trolley bag L Large softpadded kit bag with wheels and shoulder strap. D1 3-head Studio Kits. 100794 SpillKill Small (Used with umbrellas to reduce spill light. Fits directly on the D1 Monolights and the Off-Camera flashes) 100795 Grid Small 5° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) 100796 Grid Small 10° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) 100797 Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) 100797 Umbrella White small 100798 Protective Cap (Fits the D1 Monolights and the Off-Camera flashes) € 16		Flash duration (t0.5): 1/1,800-1/700 sec. Delivered with power cable and protective	
Portable power source with two EU 230V outlets. Delivered with Charger 2A (100218), power cable's (2 x 102501) & BatPac bag 901124 BatPac 120V US Portable power source with two US 120V outlets. Delivered with Charger 2A (100218), power cable's (2 x 102509) & BatPac bag \$\frac{1}{2}\$\$ Bag S Softpadded kit bag with shoulder strap, suitable for AcuteB2 Kit or D1 Basic Kit. \$30212 Bag M Softpadded kit bag with shoulder strap, suitable for Acute2 Value Kit or D1 Studio Kit. \$\frac{1}{2}\$\$ Softpadded kit bag with shoulder strap, suitable for Acute2 Value Kit or D1 Studio Kit. \$\frac{1}{2}\$\$ Softpadded kit bag with wheels and shoulder strap. D1 3-head Studio Kits. \$\frac{1}{2}\$\$ SpillKill Small (Used with umbrellas to reduce spill light. Fits directly on the D1 Monolights and the Off-Camera flashes) \$\frac{1}{2}\$\$ Grid Small 5° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) \$\frac{1}{2}\$\$\$ Grid Small 10° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) \$\frac{1}{2}\$\$\$ Softpadded kit bag with wheels and shoulder strap. D1 3-head Studio Kits. \$\frac{1}{2}\$		Accessories	
Delivered with Charger 2A (100218), power cable's (2 x 102501) & BatPac bag 901124 BatPac 120V US Portable power source with two US 120V outlets. Delivered with Charger 2A (100218), power cable's (2 x 102509) & BatPac bag 8ag S Softpadded kit bag with shoulder strap, suitable for AcuteB2 Kit or D1 Basic Kit. 330212 Bag M Softpadded kit bag with shoulder strap, suitable for Acute2 Value Kit or D1 Studio Kit. 330220 Trolley bag L Large softpadded kit bag with wheels and shoulder strap. D1 3-head Studio Kits. \$\inc\$ 266 100794 SpillKill Small (Used with umbrellas to reduce spill light. Fits directly on the D1 Monolights and the Off-Camera flashes) \$\inc\$ 8i 100795 Grid Small 5° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) \$\inc\$ 85 100797 Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) \$\inc\$ 85 100797 Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) \$\inc\$ 85 100797 Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) \$\inc\$ 85 100797 Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) \$\inc\$ 85 100797 Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) \$\inc\$ 85 100797 Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) \$\inc\$ 85 100797 Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) \$\inc\$ 85 100797 Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) \$\inc\$ 85 100797 Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) \$\inc\$ 85 100797 Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) \$\inc\$ 85 100797 Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes)	901123	BatPac 230V EU	€1198
Portable power source with two US 120V outlets. Delivered with Charger 2A (100218), power cable's (2 x 102509) & BatPac bag 330211 Bag S Softpadded kit bag with shoulder strap, suitable for AcuteB2 Kit or D1 Basic Kit. \$30212 Bag M Softpadded kit bag with shoulder strap, suitable for Acute2 Value Kit or D1 Studio Kit. \$30220 Trolley bag L Large softpadded kit bag with wheels and shoulder strap. D1 3-head Studio Kits. \$\$500794 SpillKill Small (Used with umbrellas to reduce spill light. Fits directly on the D1 Monolights and the Off-Camera flashes) Grid Small 5° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) Grid Small 10° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) E 85 100797 Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) E 49 100787 Umbrella White small € 75 100799 Protective Cap (Fits the D1 Monolights and the Off-Camera flashes) € 16		·	
330211 Bag S Softpadded kit bag with shoulder strap, suitable for AcuteB2 Kit or D1 Basic Kit. 330212 Bag M Softpadded kit bag with shoulder strap, suitable for Acute2 Value Kit or D1 Studio Kit. 330220 Trolley bag L Large softpadded kit bag with wheels and shoulder strap. D1 3-head Studio Kits. 5 266 100794 SpillKill Small (Used with umbrellas to reduce spill light. Fits directly on the D1 Monolights and the Off-Camera flashes) 6 81 100795 Grid Small 5° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) 6 85 100796 Grid Small 10° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) 6 85 100797 Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) 6 85 101085 D1 Kit Stand 6 49 100787 Umbrella White small 6 75 100799 Protective Cap (Fits the D1 Monolights and the Off-Camera flashes) 6 16	901124		€1198
Softpadded kit bag with shoulder strap, suitable for AcuteB2 Kit or D1 Basic Kit. 330212 Bag M Softpadded kit bag with shoulder strap, suitable for Acute2 Value Kit or D1 Studio Kit. \$\input \text{111}\$ \$\input \text{266}\$ Trolley bag L Large softpadded kit bag with wheels and shoulder strap. D1 3-head Studio Kits. \$\input \text{266}\$ \$\input \text{266}\$ \$\input \text{266}\$ \$\input \text{266}\$ \$\input \text{311}\$ \$		Delivered with Charger 2A (100218), power cable's (2 x 102509) & BatPac bag	
Softpadded kit bag with shoulder strap, suitable for AcuteB2 Kit or D1 Basic Kit. 330212 Bag M Softpadded kit bag with shoulder strap, suitable for Acute2 Value Kit or D1 Studio Kit. \$\input \text{111}\$ \$\input \text{266}\$ Trolley bag L Large softpadded kit bag with wheels and shoulder strap. D1 3-head Studio Kits. \$\input \text{266}\$ \$\input \text{266}\$ \$\input \text{266}\$ \$\input \text{266}\$ \$\input \text{311}\$ \$	330211	Bag S	€ 95
Softpadded kit bag with shoulder strap, suitable for Acute2 Value Kit or D1 Studio Kit. Trolley bag L Large softpadded kit bag with wheels and shoulder strap. D1 3-head Studio Kits. \$\int \text{266}\$ SpillKill Small (Used with umbrellas to reduce spill light. Fits directly on the D1 Monolights and the Off-Camera flashes) Grid Small 5° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) Grid Small 10° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) Fig. 49 University Stand Umbrella White small Fig. 75 Protective Cap (Fits the D1 Monolights and the Off-Camera flashes)	000211	· ·	0.00
Trolley bag L Large softpadded kit bag with wheels and shoulder strap. D1 3-head Studio Kits. SpillKill Small (Used with umbrellas to reduce spill light. Fits directly on the D1 Monolights and the Off-Camera flashes) Grid Small 5° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) Grid Small 10° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) Grid Small 10° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) Fig. 49 D1 Kit Stand Umbrella White small For 75 Protective Cap (Fits the D1 Monolights and the Off-Camera flashes) € 16	330212	Bag M	€ 111
Large softpadded kit bag with wheels and shoulder strap. D1 3-head Studio Kits. 100794 SpillKill Small (Used with umbrellas to reduce spill light. Fits directly on the D1 € 81 Monolights and the Off-Camera flashes) € 85 100795 Grid Small 5° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) € 85 100796 Grid Small 10° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) € 85 100797 Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) € 85 101085 D1 Kit Stand € 49 100787 Umbrella White small € 75 100799 Protective Cap (Fits the D1 Monolights and the Off-Camera flashes) € 16		Softpadded kit bag with shoulder strap, suitable for Acute2 Value Kit or D1 Studio Kit.	
100794 SpillKill Small (Used with umbrellas to reduce spill light. Fits directly on the D1 Monolights and the Off-Camera flashes) 100795 Grid Small 5° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) € 85 100796 Grid Small 10° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) € 85 100797 Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) € 85 101085 D1 Kit Stand	330220	Trolley bag L	€ 266
Monolights and the Off-Camera flashes) 100795		Large softpadded kit bag with wheels and shoulder strap. D1 3-head Studio Kits.	
100796	100794		€ 81
100797 Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes) € 85 101085 D1 Kit Stand € 49 100787 Umbrella White small € 75 100799 Protective Cap (Fits the D1 Monolights and the Off-Camera flashes) € 16	100795	Grid Small 5° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes)	€ 85
101085 D1 Kit Stand	100796	Grid Small 10° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes)	€ 85
100787Umbrella White small€ 75100799Protective Cap (Fits the D1 Monolights and the Off-Camera flashes)€ 16	100797	Grid Small 20° (Grid that fits directly on the D1 Monolights and the Off-Camera flashes)	€ 85
100799 Protective Cap (Fits the D1 Monolights and the Off-Camera flashes) € 16	101085	D1 Kit Stand	€ 49
	100787	Umbrella White small	€ 75
103010 Synchro cable. 5 m (3,5 mm) € 15	100799	Protective Cap (Fits the D1 Monolights and the Off-Camera flashes)	€ 16
	103010	Synchro cable. 5 m (3,5 mm)	€ 15

D1 Value Kits

Products

D1 Basic Kit

D1 Basics Kits include: 2 x D1 monolights, 1 x Bag S and either Profoto Air Remote or a sync cable.

D1 Studio Kit

D1 Studio Kits include: 2 x D1 monolights, 2 x umbrellas, 2 x D1 light stands. 1 x Bag M and either Profoto Air Remote or a sync cable.

D1 Studio Kit 3 Heads

D1 Studio Kits include: 3 x D1 monolights, 3 x D1 light stands. 1 x Softbox 2x3, 1 x Softbox 1.3x2, 1 D1 Grid 10°, 1 x Trolley Bag L and 1 x Profoto Air Remote.

Product no.	Description	Price € exl. VAT
901060	D1 Basic Kit 250/250 (including sync cable)	€1502
901077	D1 Basic Kit 250/500 (including sync cable)	€1578
901062	D1 Basic Kit 500/500 (including sync cable)	€1672
901061	D1 Basic Kit 250/250 Air (including Air Remote)	€1909
901078	D1 Basic Kit 250/500 Air (including Air Remote)	€1985
901063	D1 Basic Kit 500/500 Air (including Air Remote)	€ 2 061
901079	D1 Basic Kit 500/1000 Air (including Air Remote)	€ 2 484
901064	D1 Basic Kit 1000/1000 Air (including Air Remote)	€ 2 894
901050	D1 Studio Kit 250/250 (including sync cable)	€1661
901052	D1 Studio Kit 500/500 (including sync cable)	€1827
901058	D1 Studio Kit 250/500 (including sync cable)	€1733
901055	D1 Studio Kit 250/250 Air (including sync cable. Air Remote not included)	€1902
901075	D1 Studio Kit 250/500 Air (including sync cable. Air Remote not included)	€1976
901056	D1 Studio Kit 500/500 Air (including sync cable. Air Remote not included)	€2050
901076	D1 Studio Kit 500/1000 Air (including sync cable. Air Remote not included)	€ 2 463
901057	D1 Studio Kit 1000/1000 Air (including sync cable. Air Remote not included)	€2860
901051	D1 Studio Kit 250/250 Air (including Air Remote)	€ 2 050
901059	D1 Studio Kit 250/500 Air (including Air Remote)	€ 2 123
901053	D1 Studio Kit 500/500 Air (including Air Remote)	€ 2 221
901074	D1 Studio Kit 500/1000 Air (including Air Remote)	€ 2 638
901054	D1 Studio Kit 1000/1000 Air (including Air Remote)	€ 3 036
901086	D1 Studio Kit 250/500/500 Air (including Air Remote)	€ 3 689
901087	D1 Studio Kit 500/500/1000 Air (including Air Remote)	€ 4 182
901088	D1 Studio Kit 500/1000/1000 Air (including Air Remote)	€ 4 556

Continuous Lights Heads, ballasts, kits & accessories



Continuous Lights



Products

ProTungsten Air

ProTungsten is a single piece halogen lamphead with an output up to 1000W. It is dimmable, silent and has Profoto Air built-in. ProTungsten is compatible with many of the existing Profoto Light Shaping Tools. There are, however, some limitations due to heat. ProTungsten can be optionally fitted with 500W or 1000W halogen lamps.

ProDaylight Heads

ProDaylight heads are HMI light sources, providing a bright, daylight color temperature light, which is ideal for most photo and video shoots. All ProDaylight heads are compatible with many of the Profoto Light Shaping Tools even if there are some limitations due to heat. The heads are powered from the dedicated ProDaylight ballasts, they are dimmable and they can be remotely controlled with the Air system.

ProDaylight Ballasts

ProBallast 200/400 and ProBallast 800 are electronic, flicker-free ballasts that power the ProDaylight heads. They are robust, easy to use and completely silent.

Product no.	Description	Price € exl. VAT
901161	ProTungsten Air Including metal transport cap, frosted glass cover and power cable. Max 1000W. Socket Type G 9.5. Color Temperature (max) 3200 K. Input voltage 100V-240V / 50/60 Hz. Dimming 100%-10 %. Size 39 x 13 x 18 cm / 15 x 5 x 7 in. Weight 2.7 kg /6 lbs. NOTE! Halogen lamp not included.	€ 967
901181	ProDaylight 200 Air Head Including metal transport cap, frosted glass cover and UV-blocked 200 W bulb. Lamp Life Approx. 200 hours. Socket Type GZY 9.5. Color Temperature 6000 Kelvin. Dimming 100-50% and Profoto Air wireless remote control with ProBallast 200/400. NOTE! May only be used with UV-blocked bulbs! Size: 30 x 10.2 x 16 cm / 11.8 x 4 x 6.3 in Weight: 2.5 kg / 5.5 lbs. incl. cable.	€1594
901171	ProDaylight 400 Air Head Including metal transport cap, frosted glass cover and UV-blocked 400 W bulb. Lamp Life Approx. 750 hours. Socket Type GZZ 9.5. Color Temperature 5600 Kelvin. Dimming 100-50% and Profoto Air wireless remote control with ProBallast 200/400. NOTE! May only be used with UV-blocked bulbs! Size: 30 x 10.2 x 16 cm / 11.8 x 4 x 6.3 in Weight: 2.5 kg / 5.5 lbs. incl. cable.	€1870
901172	ProDaylight 800 Air Head Including metal transport cap, frosted glass cover and UV-blocked 800 W bulb. Lamp Life Approx. 750 hours. Socket Type G 22. Color Temperature 5600 Kelvin. Dimming 100-50% and Profoto Air wireless remote control support. NOTE! May only be used with UV-blocked bulbs! Size: 39 x 13 x 18 cm / 15 x 5 x 7 in. Weight: 2.3 kg / 5 lbs. without cable.	€1929
901131	ProBallast 200 / 400 For ProDaylight 200 and ProDaylight 400 Heads. Automatic sensing 200 or 400W flicker free output. Passive cooling. Support for Profoto Air wireless remote control with ProDaylight 200/400 heads. Multivoltage 95-265 VAC / 50/60 hz. 31.5 x 15 x 15 cm / 12.4 x 5.9 x 5.9 in. Weight: 4.4 kg / 9.7 lbs.	€ 2 421
901132	ProBallast 800 For ProDaylight 800 Heads. Flicker free output. Passive cooling. Support for Profoto Air wireless remote control with ProDaylight 800 head. Multivoltage 95-265 VAC / 50/60 hz. 38 x 14 x 19 cm / 15 x 5.5 x 7.5 in. Weight: 6.7 kg / 14.7 lbs.	€ 3 639
901145	ProDaylight 200 Air Basic Kit (incl ProDaylight Air head and Ballast, 901181 & 901131)	€ 3 520
901141	ProDaylight 400 Air Basic Kit (incl ProDaylight Air head and Ballast, 901171 & 901131)	€ 3 778
901142	ProDaylight 800 Air Basic Kit (incl ProDaylight Air head and Ballast, 901172 & 901132)	€ 4 797

Product no.	Accessories	Price € exl. VAT
282017	ProTungsten lamp 500W EHC 110V G9.5 (for US and markets with 110-120V mains voltage)	€ 41
282016	ProTungsten lamp 500W 240V G9.5 (for EU and markets with 220-240V mains voltage)	€ 54
282015	ProTungsten lamp 1000W FEL 110V G9.5 (for US and markets with 110-120V mains voltage)	€ 45
282014	ProTungsten lamp 1000W FEP 240V G9.5	€ 32
282023	ProDaylight bulb 200W HR UV-C	€ 274
282020	ProDaylight bulb 400W HR UV-C	€ 286
282021	ProDaylight bulb 800W HR UV-C	€ 295
101542	Glass Cover Frosted w. Ring 70 mm (for ProDaylight and ProTungsten)	€ 177
101543	Glass Cover Clear w. Ring 70 mm (for ProDaylight and ProTungsten)	€ 167
283522	ProDaylight 200/400 Extension Cable 5m	€ 274
283521	ProDaylight 800 Extension Cable 5m	€ 296
100638	Metal Transport Cap for both ProDaylight and ProTungsten	€77

Profoto Air System Wireless sync and control



Profoto Air

Wireless sync and control









Product no.	Description	Price € exl. VAT
901039	Air Remote TTL-C Attach this small unit to your Canon camera to wirelessly integrate your Off-Camera Flash with your camera. Note that this remote is dedicated to Canon EOS cameras with Canon ETTL-II metering system. Check Air Remote TTL-C product page on Profoto.com for list of compatible cameras. Delivered with handstrap, batteries and Accessory Pouch.	€ 310
901040	Air Remote TTL-N Attach this small unit to your Nikon camera to wirelessly integrate your Off-Camera Flash with your camera. Note that this remote is dedicated to Nikon DSLR cameras with Nikon iTTL metering system. Check Air Remote TTL-N product page on Profoto.com for list of compatible cameras. Delivered with handstrap, batteries and Accessory Pouch.	€ 310
901032	Profoto Air Sync The Profoto Air Sync is a camera hotshoe mounted sync tranciever. It can be used as remote trigger for flashes built-in Air.	€ 169
901031	Profoto Air Remote The Profoto Air Remote is a camera hotshoe mounted sync tranciever. It can be used as remote trigger and remote control for Profoto flashes with built-in Air.	€ 216
901035	Profoto Air Sync Kit. incl.2 Profoto Air Sync Starter Kit with 2 Air Sync and cables. The Kit includes everything needed to use Air Sync as remote trigger for any major flash brand.	€ 314
	Profoto Air - Wireless studio software solutions	
901034	Profoto Air USB USB Dongle required for wireless MAC/PC control of Profoto flashes with built-in Air. Used with any of the availalable Studio softwares that are free to download from www. profoto.com	€ 380
Software	Profoto Studio 3 for Mac	Free
Software	Profoto Studio 3 for Windows PC	Free
Software	Profoto Studio Plug-in for Capture One Pro 7 (for Mac only)	Free
	Air sync cables	
103011	Male 3.5 mm miniphone to PC	€6
103016	1/4 Phono male to 3.5mm miniphone male	€7
103018	Sync adapter 1/4 Phono male to miniphone	€7
103020	Male 3.5 mm miniphone to miniphone. 30 cm	€7
	Air camera release cables	
103012	Male 3.5 mm miniphone to Canon remote connector	€ 25
103023	Male 3.5 mm miniphone to Canon remote connector. Pre-Release	€ 49
103013	Male 3.5 mm miniphone to Nikon remote connector	€ 25
103024	Male 3.5 mm miniphone to Nikon remote connector. Pre-Release	€ 66
103014	Male 3.5 mm miniphone to Hasselblad remote connector	€ 54
103025	Male 3.5 mm miniphone to Hasselblad remote connector. Pre-Release	€ 40
103026	Male 3.5 mm miniphone to Olympus remote connector	€ 45
103027	Male 3.5 mm miniphone to Olympus remote connector. Pre-Release	€ 49
103028	Male 3.5 mm miniphone to Phase One remote connector	€80
103029	Male 3.5 mm miniphone to Sony remote connector	€ 45
103019	Plastic Hotshoe Grip	€6

Light Shaping Tools Style your light to perfection



Hard Reflectors



Product no.	Description	Price € exl. VAT
100785	Zoom Reflector (Profoto standard reflector) The Zoom Reflector is one of the most versatile reflectors out there. In short, it can provide light characteristics of a wide angle and a normal reflector and everything in between. Can be used in combination with umbrellas to reduce stray light or be fitted with an optional grid. The Zoom Reflector is the standard reflector delivered with Profoto Acute/D4 Heads and ProHeads.	
100786	Zoom-Cap	€ 23
100671	Barndoors for Zoom Reflector	€ 186
900649	Grid & Filterholder (for mounting grids on 100785, kit includes 100604 and 100619)	€ 175
100604	Filter Cassette	€ 44
100619	Diffusions Filter 19x19 cm	€ 10
100651	Snoot for 900649	€ 129
100606	Grid 20°,180 mm (fitted directly on 100785 or on 900649)	€ 99
100605	Grid 10°,180 mm (fitted directly on 100785 or on 900649)	€ 111
100646	Grid 5°,180 mm (fitted directly on 100785 or on 900649)	€ 142
900362	Grid/Grid & Filterholder Kit (including 900649, 100605, 100606 and 100646)	€ 473
900849	Grid Kit 5,10 & 20° (including bag 100298)	€ 337

Product no.	Description	Price € exl. VAT
100624	Magnum Reflector The Magnum Reflector has a normal beam spread but increases the outout with 1 f-stop. The light that is created is strong yet smooth, and although this is not a true focusing reflector, zooming it across the focal point does create interesting lighting effects. € 254	
100617	NarrowBeam Reflector The Narrow Beam Reflector gives the most focused light output of all Profoto reflectors (32° lightspread). In other words, the photographer has very precise control of the direction of the light and can create some truly intereseting effects with the extreme hot spot and the sharp light fall-off.	€ 258
100713	NarrowBeam Travel reflector	€ 188
100712	TeleZoom Reflector Even though it shares its basic lighting characteristics with the Zoom Reflector, the TeleZoom Reflector is unique in that it allows the photographer to adjust the light spread from 20° at head position 5 to 30° at head position 10. Even illumination and high output add to the versatility of this unique unit.	€ 546
	Accessories	
100618	Grid 10°, 337mm (fits Magnum, TeleZoom and Narrow Beam Reflector, not for Narrow Beam Travel reflector)	€ 209
100670	ProTube, 337 mm (fits Magnum, TeleZoom and Narrow Beam Reflector, not for Narrow Beam Travel reflector)	€ 639
100715	Barndoors, 337 mm (fits Magnum, TeleZoom and Narrow Beam Reflector, not for Narrow Beam Travel reflector)	€ 661

Product no.	Description	Price € exl. VAT
100711	WideZoom Reflector The versatile WideZoom Reflector has a light spread ranging from 40° to 70 , depending on the head position, and provides even illumination even at short distances. Basically a modern, zoomable version of the Magnum reflector! €	
100636	Grid 10°, 280 mm (for WideZoom Reflector)	€ 204
	Softlight reflector "beauty dish"	
100608	SoftLight Reflector White (65°) The Softlight Reflector White, nicknamed The Beauty Dish, gives a soft yet directional light that is often used to provide character lighting in portrait and beauty photography. But the reflector is superb for a wide variety of uses, ranging all the way from product photography to interior shoots. It is also an interesting alternative to the more widely used softboxes.	
100607	SoftLight Reflector Silver (26°) The Softlight Reflector Silver gives a focused light, while at the same time providing soft shadow definition, thanks to its large reflecting area. It is especially suitable for lighting materials or subjects in which the structure should be emphasized. It can also be used to give beauty and fashion pictures a crisp, "sunny" look.	€ 304
901183	Softlight Kit (incl. 100608, 100609 and 100714)	€ 566
	Accessories	
100609	Grid 25°, 515 mm (for Softlight Reflector)	€ 268
100704	Glass for Softlight Reflector (frosted glass sheet to replace deflector)	€ 68
100714	Diffusor for Softlight Reflector	
	Disc reflector	
100654	Disc Reflector	€ 83
	The Disc Reflector is mostly used in combination with an umbrella to reduce spill light.	
	7" Grid reflector and accessories	
100705	7"Reflector	€ 132
100634	Grid 10°	€ 99
100635	Grid 5°	€ 112

Ringflash Reflectors

Product no.	Description	Price € exl. VAT
100642	Softlight Reflector (for Profoto Ringflashes)	€ 314
100643	Close-Up Reflector (for Profoto Ringflashes)	€ 314
100717	WideSoft Reflector (for Profoto Ringflashes)	€ 314
100784	Diffusor (for Profoto Ringflashes)	€ 205

Softboxes



Products

RFi Softboxes

The new line of RFi softboxes come in all sizes and shapes. To ensure full control for the photographer, they have a deeper shape, a recessed front, double-layered diffusers and a highly reflective silver interior. Optional accessories are available for even more precise light shaping.

RFi Softgrids, Stripmasks and Flat Front Diffusors

All RFi softboxes have a recessed front that allows you to attach a Softgrid. The Softgrid reduces the light spread to 50°. In other words, the Softgrid creates a more directed light and eliminates a large amount of spill light, allowing you to shape the light with even more precision. Other available accesories are stripmasks and flat front diffusers. For more info check www.profoto.com.

RFi Speedrings

The new line of RFi speedrings adaptors makes the RFi softboxes compatible with well over 20 different flash brands, ranging all the way from speedlights to high-end studio strobes. Even if you own flashes from many different manufacturers, you now only need one line of Softboxes. The speedring adaptors are designed so that the RFi softboxes can be rotated 360°, allowing the photographer to adjust and shape the light on the fly. The color codes make the softboxes easy to assemble and disassemble. All speedring adaptors are robust and painted with heat resistant lacquer.

Product no.	Description	Price € exl. VAT
254701	Softbox RFi 1x1,3' (30x40cm)	€ 92
254702	Softbox RFi 1,3x2' (40x60cm)	€ 117
254703	Softbox RFi 2x3' (60x90cm)	€ 198
254704	Softbox RFi 3x4' (90x120cm)	€ 260
254705	Softbox RFi 4x6' (120x180cm)	€ 388
254706	Softbox RFi 2x2' (60x60cm)	€ 162
254707	Softbox RFi 3x3' (90x90cm)	€ 210
254708	Softbox RFi 1x3' (30x90cm)	€ 162
254709	Softbox RFi 1x4' (30x120cm)	€ 182
254710	Softbox RFi 1x6* (30x180cm)	€ 264
254711	Softbox RFi 3' Octa (90cm)	€ 191
254715	Softbox RFi 4' Octa (120cm)	€ 253
254712	Softbox RFi 5' Octa (150cm)	€ 291
901182	Softbox Kit (RFi 60x90 cm / 2x3', Profoto Speedring and Softgrid, Printed box)	€ 344
254620	RFi Softgrid 50° 1x1,3'	€ 63
254621	RFi Softgrid 50° 1,3x2'	€ 72
254622	RFi Softgrid 50° 2x3'	€ 97
254623	RFi Softgrid 50° 3x4'	€ 198
254624	RFi Softgrid 50° 4x6'	€ 383
254625	RFi Softgrid 50° 2x2'	€ 75
254626	RFi Softgrid 50° 3x3'	€ 137
254627	RFi Softgrid 50° 1x3'	€ 68
254628	RFi Softgrid 50° 1x4'	€ 91
254629	RFi Softgrid 50° 1x6'	€ 131
254630	RFi Softgrid 50° 3' Octa	€ 142
254645	RFi Softgrid 50° 4' Octa	€ 264
254631	RFi Softgrid 50° 5' Octa	€ 383





Product no.	Description	Price € exl. VAT
254632	RFi Stripmask 7cm 1x3'	€ 40
254633	RFi Stripmask 7cm 1x4'	€ 44
254634	RFi Stripmask 7cm 1x6'	€ 62
254635	RFi Flat Front Diffuser 1x1,3'	€ 25
254636	RFi Flat Front Diffuser 1,3x2'	€ 28
254637	RFi Flat Front Diffuser 2x3'	€ 37
254638	RFi Flat Front Diffuser 3x4'	€ 48
254639	RFi Flat Front Diffuser 4x6'	€ 59
254640	RFi Flat Front Diffuser 2x2'	€ 29
254641	RFi Flat Front Diffuser 3x3'	€ 44
100501	RFi speedring adapter Profoto	€ 99
100503	RFi speedring adapter Elinchrom	€ 99
100504	RFi speedring adapter Bowens / Calumet	€ 81
100505	RFi speedring adapter AlienBees/White Lightning X	€ 81
100506	RFi speedring adapter Hensel Expert	€ 99
100507	RFi speedring adapter Broncolor Pulso	€ 81
100508	RFi speedring adapter Multiblitz Profilux	€ 81
100509	RFi speedring adapter Photogenic	€ 81
100510	RFi speedring adapter Speedotron	€ 99
100511	RFi speedring adapter Comet	€ 99
100512	RFi speedr. Lumedyne/Quantum/Sunpak/Norman	€ 81
100513	RFi speedring adapter Dynalite 2	€ 85
100514	RFi speedring adapter Sunstar	€ 99
100515	RFi speedring adapter Broncolor Visatec	€ 99
100516	RFi speedring adapter Novatron 2	€ 117
100517	RFi speedring adapter Multiblitz Varilux	€ 99
100518	RFi speedring adapter Photona	€ 81
100519	RFi speedring adapter Propet A	€ 99
100520	RFi Speedlight speedring	€ 149

HR Softboxes & Lanterns

Products

HR Softboxes & Lanterns

Profoto HR Softboxes are extremely durable, heat resistant softboxes that can be used with both flash and continuous light. Ideal for HD video shoots as well as conventional photo shoots. Available with recessed front (RF) and optional Softgrids. The accessories and speedrings fit both HR and discontinued RF Softboxes.

Product no.	Description	Price € exl. VAT
100481	HR Softbox 1.3 x 1.8' RF (40 x 55 cm)	€ 344
100482	HR Softbox 2 x 3' RF (60 x 90 cm)	€ 354
100483	HR Softbox 1.5 x 4' RF (45 x 120 cm)	€ 445
100484	HR Softbox 3 x 4' RF (90 x 120 cm)	€ 485
100485	HR Softbox 2.7 x 2.7' RF (80 x 80 cm)	€ 404
100486	HR Softbox 4 x 6' RF (120 x 180 cm)	€ 647
100487	HR Lantern 1.7' FLAT (51 x 30 cm)	€ 283
100488	HR Lantern 3' FLAT (89 x 43 cm)	€ 314
100489	HR Lantern 4' FLAT (122 x 48 cm)	€ 466
100490	HR Softbox 1.5 x 3.5' RF-a. Asymmetric	€ 506
100491	HR Softbox 2.3 x 5' RF-a. Asymmetric	€ 636
100492	HR Softbox Octa 3'	€ 607
100493	HR Softbox Octa 5'	€ 768
100494	HR Softbox Octa 7'	€1052
100495	HR Softbox 1x3'	€ 383
100496	HR Softbox 1x4'	€ 445
100497	HR Softbox 1x6'	€ 497
254538	Flat front diff. 2x3'	€ 69
254539	Flat front diff. 3x4'	€ 83
254540	Flat front diff. 4x6'	€ 110
254549	Strip Mask 7cm for 2x3'	€ 113
254550	Strip Mask 15cm for 2x3'	€ 113
254551	Strip Mask 10cm for 3x4'	€ 133
254552	Strip Mask 35cm for 3x4'	€ 133
254560	Softgrid 30° for Softbox 2x3'	€ 455
254555	Softgrid 40° for Softbox 2x3'	€ 296
254556	Grid Kit 40° for Softbox 3x4', incl support rod	€ 604
254557	Grid Kit 40° for Softbox 4x6', incl support rod	€ 742
254553	Dia Mask 80cm for 3x4'	€ 133
100660	Softbox Mounting Ring for Profoto	€ 142
100721	Speedring for Bron Pulso	€ 76
100722	Speedring for Balcar	€ 76
100723	Speedring for Bowens	€ 76
100724	Speedring for Elinchrom	€ 76
100725	Speedring for Multiblitz Profilux	€ 76
100726	Speedring for Multiblitz Variolite	€ 76
100727	Speedring for Hensel Expert	€ 76
100732	Speedring for Bron Visatec	€76
100633	Adapter Plate 144 mm diameter	€ 99

Collapsible Reflectors



Products

Collapsible Reflectors

Shape sunlight or bounce flash light with our handy Reflectors. The sturdy yet collapsible metal frame is equipped with two ergonomically shaped handles, which make the Reflectors much easier to fold and hold in various positions. Four types of two-sided Reflectors are available: Silver/White, SunSilver/White, Gold/White & Matte Black/White. There is also a translucent screen available to be used as a diffuser. Each of these is available in two sizes: Medium (32"/80 cm) and Large (47"/120 cm).

Product no.	Description	Price € exl. VAT
100960	Reflector Silver/White M (80 cm/32")	€73
100961	Reflector Silver/White L (120 cm/47")	€ 105
100962	Reflector SunSilver/White M (80 cm/32")	€73
100963	Reflector SunSilver/White L (120 cm/47")	€ 105
100964	Reflector Gold/White M (80 cm/32")	€73
100965	Reflector Gold/White L (120 cm/47")	€ 105
100966	Reflector Black/White M (80 cm/32")	€73
100967	Reflector Black/White L (120 cm/47")	€ 105
100968	Reflector Translucent M (80 cm/32")	€73
100969	Reflector Translucent L (120 cm/47")	€ 105

Umbrella Deep and Shallow







Products

Umbrella Deep

A deeper shaped umbrella gives you better control of the light spread. It also allows you to focus and shape light by simply sliding the umbrella shaft in its holder. Profoto offers six different deep umbrellas in two sizes and three fabrics: White, Silver and Translucent.

Umbrella Shallow

When it comes to portability and ease-of-use, there are not many Light Shaping Tools out there that can beat Umbrella Shallow. But do not let its size fool you. Umbrella Shallow is remarkably reliable and sturdy for its small size and light weight. Profoto offers six different shallow umbrellas in two sizes and three fabrics: White, Silver and Translucent.

Diffusors and Backpanels for Umbrellas

The optional diffuser is a versatile accessory for Umbrella Deep and Umbrella Shallow. Use the diffuser in combination with the white or the silver umbrellas to convert your umbrella into a softbox and diffuse the light even more. The diffuser is small, lightweight and easy to bring and mount. The diffuser is delivered in a practical bag. The Backpanel is an optional accessory to the shoot through translucent umbrellas. The fabric is white on the inside and black on the outside. You attach it on the umbrella like the diffuser. The result is that there will be no light leakage backwards which might influence the light quality on the subject when bouncing around. Also as there will be less light leakage backwards, there will be more light coming through the umbrella and on the subject.

Product no.	Description	Price € exl. VAT	
100971	Umbrella Shallow White S (0.85 m diameter)	€ 62	
100974	Umbrella Shallow White M (1.05 m diameter)	€ 82	
100983	Umbrella Deep White S (0.85 m diameter)	€ 134	
100986	Umbrella Deep White M (1.05 m diameter)	€ 155	
100977	Umbrella Deep White L (1.30 m diameter)	€ 207	
100980	Umbrella Deep White XL (1.65 m diameter)	€ 290	
100972	Umbrella Shallow Silver S (0.85 m diameter")	€ 62	
100975	Umbrella Shallow Silver M (1.05 m diameter)	€ 82	
100984	Umbrella Deep Silver S (0.85 m diameter)	€ 134	
100987	Umbrella Deep Silver M (1.05 m diameter)	€ 155	
100978	Umbrella Deep Silver L (1.30 m diameter)	€ 207	
100981	Umbrella Deep Silver XL (1.65 m diameter)	€ 290	
100973	Umbrella Shallow Translucent S (0.85 m diameter)	€ 50	
100976	Umbrella Shallow Translucent M (1.05 m diameter)	€ 62	
100985	Umbrella Deep Translucent S (0.85 m diameter)	€ 103	
100988	Umbrella Deep Translucent M (1.05 m diameter)	€ 124	
100979	Umbrella Deep Translucent L (1.30 m diameter)	€ 155	
100982	Umbrella Deep Translucent XL (1.65 m diameter)	€ 238	
100990	Umbrella S Diffusor (-1.5 f-stop, Turns Umbrella S White and Silver into large softboxes)	€ 36	
100991	Umbrella M Diffusor (-1.5 f-stop, Turns Umbrella M White and Silver into large softboxes)	€ 43	
100992	Umbrella L Diffusor (-1.5 f-stop, Turns Umbrella L White and Silver into large softboxes)	€ 67	
100993	Umbrella XL Diffusor (-1.5 f-stop, Turns Umbrella M White and Silver into large softboxes)	€ 75	
100994	Umbrella S Backpanel (Turns Umbrella S Translucent into a softbox)	€ 46	
100995	Umbrella M Backpanel (Turns Umbrella M Translucent into a softbox)	€ 56	
100996	Umbrella L Backpanel (Turns Umbrella L Translucent into a softbox)	€ 83	
100997	Umbrella XL Backpanel (Turns Umbrella XL Translucent into a softbox)	€ 95	
101099	Stand adapter for Umbrella XL	€ 71	

Giant Reflectors & Giants

Products

Giant Reflectors

The Giant Reflectors are truly parabolic, focusable silver reflectors in three sizes: 180 cm (6 ft.), 240 cm (8 ft.) and 300 cm (10 ft.). The parabolic shape boosts light output and gives a distictly directed, yet soft light. All models come with a designed, semi-hard bag holding the folded reflector and the accessories.

Giant Silver & White

Both Giant Silver & Giant White come in two sizes: 150 cm (5 ft.) and 210 cm (7 ft.). The Silver Giants can be used as a focusable and very large reflector in the studio or on location. The White Giants creates soft highlights similar to a large Octa Softbox. Both the Silver and White versions are delivered in a designed semi-hard storage bag holding the folded reflector and the accessories.

Product no.	Description	Price € exl. VAT
100318	Profoto Giant Reflector 180	€ 2 784
100319	Profoto Giant Reflector 240	€ 4 121
100320	Profoto Giant Reflector 300	€ 5 457
100316	Profoto Giant Silver 150	€1258
100317	Profoto Giant Silver 210	€1558
100314	Profoto Giant White 150	€1135
100315	Profoto Giant White 210	€1258
	Accessories	
254585	Diffusor 1 f-stop Giant Reflector 180	€ 179
254531	Diffusor 1 f-stop Giant Reflector 240	€ 272
254587	Diffusor1f-stop Giant Reflector 300	€ 403
254586	Diffusor 1/3 f-stop Giant Reflector 180	€ 295
254533	Diffusor 1/3 f-stop Giant Reflector 240	€ 427
254588	Diffusor 1/3 f-stop Giant Reflector 300	€ 467
254518	Diffusor 1 f-stop Giant 150	€ 163
254519	Diffusor 1 f-stop Giant 210	€ 217
254522	Diffusor 1/3 f-stop Giant 150	€ 232
254523	Diffusor 1/3 f-stop Giant 210	€ 312
254566	RingMask (for Giant 210)	€ 305
254581	Bag for Giant 150	€ 143
254582	Bag for Giant Reflector 180 & Giant 210	€ 221
254583	Bag for Giant Reflector 240	€ 329
254584	Bag for Giant Reflector 300	€ 388

Cine Reflector




Products

Cine Reflector

The Cine Reflector is not just a reflector, it is a reflector system. Together with the different available lenses it provides unparalleled creative control. When using the Cine Reflector with lenses, we recommend using a clear glass cover on the head. The Cine Reflector can be used with most Profoto heads but is especially optimized for Profotos Continuous Lights.

Product no.	Description	Price € exl. VAT
00470	C	0.144
901170	Cine Reflector LITE (w/o stand attachment)	€ 1 141
901175	Cine Reflector (with stand attachment)	€1447
	Accessories	
100463	Barndoors for Cine Reflector and Zoom Reflector	€ 372
100465	Fresnel Lens. Cine Reflector Optimized for both photography and video application to create diffused and evenly distributed light. Can be used with both PAR and Open Face reflectors. 44° beam with PAR insert. 71° beam at Open Face reflector.	€ 175
100466	Super Wide Lens. Cine Reflector Provides a 66° beam spread when used with PAR insert and clear glass cover	€ 165
100467	Narrow Spot Lens. Cine Reflector Provides 9° beam spread in oval shape when used with PAR insert and clear glass cover	€ 165
100468	Medium Flood Lens. Cine Reflector Provides 20° beam spread when used with PAR insert and clear glass cover.	€ 165
100469	Wide Flood Lens. Cine Reflector Provides 60° beam spread when used with PAR insert and clear glass cover.	€ 165
100475	Diffusion filter. Cine Reflector	€ 165
100474	5500K Dichroic Color filter. Cine Reflector	€ 640
100473	3200K Dichroic Color filter. Cine Reflector	€ 640
901180	Scrim Spare Kit. Set of 4 scrims	€ 90
100201	Lens bag. Cine Reflector Production Lenses	€ 125
100202	Scrim bag. Cine Reflector	€ 63
901177	Production Lens Kit for Cine Reflector. (incl. 100465, 66, 67, 68, 69 and 100201)	€ 958
901178	Scrim Kit for Cine Reflector (incl. 100464,70,71,72,78 and 100202)	€ 187
	Cine reflector value kits	
901184	Cine Reflector LITE Video Production Kit (incl 901170, 901177, 100463 and 100475)	€ 2 382
901176	Cine Reflector Video Production Kit. (incl. 901175, 100463, 100475, 901177 and 901178)	€ 2 886

Special application heads Heads & accessories



Other Light Shaping Tools









Products

Pro-Box

The Pro-Box is primarily used for lighting small objects with highly reflective surfaces. The Pro-Box lighting is even all the way out to the edges, which means that several boxes can be stacked together to create a larger source. Table stand included for vertical support.

HardBox

As a counterpart to the widely used softboxes, the Hardbox is a unique Light Shaping Tool that reduces the size of the light source to a minimum and creates an extremely crisp, directed light. In addition, the HardBox efficiently eliminates stray light, which results in optimal control even in the most narrow of studios. Can be used with the 5°, 10° or 20° Grid or the Barn Doors for the Zoom Reflector. The Hardbox fits directly on all Profoto flash heads and monolights.

ProFresnel Spot

The ProFresnel Spot creates a directional, concentrated light that can easily be adjusted by moving the lamp head inside the spotlight. The large Fresnel glass provides many possibilities, including lighting effects reminiscent of the classic Hollywood portraits of the Thirties and Forties. 300 mm lens diameter and 42° light distribution.

Fresnel Small

The Fresnel Small projects a clean and crisp beam of light, similar to natural sunlight. The vented yet compact housing comes with a 150 mm (6") glass Fresnel lens, an adjustable beam-angle control and a tilting light stand mount. Filters can be attached to the front of the Fresnel for creative lighting effects. The Fresnel Small attaches to any Profoto flash head without requiring an adapter. It is also very easy to adjust with its built-in iris control.

Spot Small

The Spot Small is a high-quality, optical focusing spot that can be used to project patterns or masked shapes onto a subject or background. Ideal for theatrical lighting effects, for instance! The Spot Small projects a spot as small as 5 cm diameter from a distance of 0.9 m, and attaches to any Profoto flash head or monolight. Accepts M size (66 mm) gobos.

Product no.	Description	Price € exl. VAT
900561	Pro-Box	€720
100718	Hardbox	€ 784
100706	ProFresnel Spot	€1590
100707	Barndoor for ProFresnel	€ 333
100789	Fresnel Small	€1092
100790	Spot Small	€ 716
100791	Gobos for Spot Small (Kit with M-size gobos)	€ 187

StripLights



Products

StripLights

The StripLights are favored by many beauty-, people-, still life-, car- and furniture photographers. The StripLights create sharp outlines and shadows with soft edges. In addition, they create a perfectly even illumination with no visible light fall-off. They can also be stacked together to create larger light sources. The StripLights have an integrated stand adapter and can be used with either the standard frosted plexiglas cover or the optional clear front cover for faster light fall-off and more character. Depending on the size of the StripLight, they come with either

one, two or three flashtubes. The fact that each flashtube has its own power cable allows for distinctive graduation control when working with the two larger units. All three StripLights offer fully proportional modeling lights and optional Barn Doors for stray light control. More info is available at www.profoto.com Note: 120V versions are compatible with Progenerators on all markets. 230V versions are compatible with Acute2 and D4 on 230V markets. The only difference is the modelling lamps so the version can be easily switched at any time.

Product no.	Description	Price € exl.VAT
100735	StripLight Small 120 V (WxL; 10 × 70 cm / 3.9 × 27.5 in.)	€2704
100765	StripLight Small 230 V (WxL; 10 x 70 cm / 3.9 x 27.5 in.)	€ 2 704
100736	StripLight Medium 120 V (WxL; 10 x 130 cm / 3.9 x 51.2 in.)	€ 4 126
100766	StripLight Medium 230 V (WxL; 10 x 130 cm / 3.9×51.2 in.)	€ 4 126
100737	StripLight Large 120 V (WxL; 10 x 190 cm / 3.9 x 74.8 in.)	€ 5 399
100767	StripLight Large 230 V (WxL; $10 \times 190 \text{ cm} / 3.9 \times 74.8 \text{ in.}$)	€ 5 399
100742	BarnDoor for StripLight Small	€ 445
100751	Diffusing cover for StripLight Small (Standard)	€ 279
100752	Clear cover for StripLight Small (Optional)	€ 317
100780	Air Case for StripLight Small	€ 852
100743	BarnDoor for StripLight Medium	€ 556
100753	Diffusing cover for StripLight Medium (Standard)	€ 339
100754	Clear cover for StripLight Medium (Optional)	€ 396
100757	BarnDoor for StripLight Large	€ 556
100755	Diffusing cover for StripLight Large (Standard)	€ 367
100756	Clear cover for StripLight Large (Optional)	€ 445
100782	Air Case for StripLight Large	€1558
101578	Flashtube for StripLight & StillLight	€ 889
102073	Modelling lamp 12 V. 20 W G4	€ 4
102074	Modelling lamp 24 V. 20 W G4	€ 4

FresnelSpot and MultiSpot





Products

FresnelSpot

The FresnelSpot is a spotlight that creates a light with sharp, deep shadows, highly saturated color and a distinct movie feel. When used from a shorter distance, the shadows become more open and the light fall-off is reduced. With a large 175 mm diameter Fresnel lens, the FresnelSpot offers lighting adjustments between 10° and 50°. The unit also has integrated support for filters and masks. The Profoto FresnelSpot comes with a 300 watt modeling light and can handle up to 2400Ws through its incorporated flashtube. Note: 120V versions are compatible with Pro generators on all markets. 230V versions are compatible with Acute2 and D4 on 230V markets. The only difference is the modelling lamps so the version can be easily switched at any time.

MultiSpot

The MultiSpot creates a small and handy directional light, perfectly suited for still life-, food- and beauty photography. With its sharp and easy-to-control light beam, it is also the optimal tool for creating accent or transillumination light with deep shadows and rich color saturation. The MultiSpot comes with a 300W modeling light and can handle up to 1200Ws through its incorporated flashtube. Note: 120V versions are compatible with Progenerators on all markets. 230V versions are compatible with Acute2 and D4 on 230V markets. The only difference is the modelling lamps so the version can be easily switched at any time.

Product no.	Description	Price € exl.VAT
100741	FresnelSpot 120 V	€ 5 070
100771	FresnelSpot 230 V	€ 5 070
100758	BarnDoor for FresnelSpot	€ 333
100762	Filter Holder for FresnelSpot	€ 106
101575	Flashtube for FresnelSpot	€ 678
101585	Glass cover for FresnelSpot	€ 192
102071	Modelling lamp 120 V. 300 W GX/GY 6.35 Frosted	€ 22
102070	Modelling lamp 230 V. 300 W GX/GY 6.35 Frosted	€ 39
100733	MultiSpot 120 V	€ 2 481
100773	MultiSpot 230 V	€ 2 481
100744	BarnDoor for MultiSpot	€ 221
100750	Clear fresnel lens 80mm for MultiSpot	€ 133
100746	Projection Spot attachment (Dedolight DP-1 with Mounting adapter for MultiSpot)	€ 981
100775	Mounting adapter (for Dedolight DP-1 Projection Spot)	€ 391
100747	Shutter kit (4pcs) (for Projection Spot attachment 100746)	€ 66
100748	Iris Diaphragm (for Projection Spot attachment 100746)	€ 155
100749	Slide Holder (for Projection Spot attachment 100746)	€ 90
100791	Gobos for Spot small (Kit with M-size gobos)	€ 187
101570	Flashtube for MultiSpot	€ 611
102070	Modelling lamp 230 V. 300 W GX/GY 6.35 Frosted	€ 39
102071	Modelling lamp 120 V. 300 W GX/GY 6.35 Frosted	€ 22

ZoomSpot, StillLight and StickLight

Products

ZoomSpot

The ZoomSpot is a large, focusable tool that can be used for background projections, as accent light over large distances, or for creating interesting stage light effects. The actual zoom lens can adjust the light spread from 15° to 35° and has a revolving lens unit to simplify lighting adjustments. The ZoomSpot also has an integrated support for filters, gobos and masks. The ZoomSpot comes with a 300W modeling light and can handle up to 2400Ws through its incorporated flashtube.

StillLight

The StillLight is a large hard-sided light source with a perfectly even illumination and extremely low light fall-off from corner to corner. The StillLight creates a soft, wrapping light with exceptional tonal reproduction. This makes it versatile enough to photograph

everything from skin tones to highly reflective objects, such as glass or jewelry. It can be used with Acute, D4 and Pro generators. Depending on the size of the StillLight, they come with either three or four flashtubes. The fact that each flashtube has its own power cable allows for distinctive graduation control when working with the units.

StickLight

The StickLight is a small and handy lamp head for car-, furniture-, interior- and people photography. It can be placed behind or even inside a car or cupboard to create sublime lighting effects. Note: 120V versions are compatible with Pro generators on all markets. 230V versions are compatible with Acute2 and D4 on 230V markets. The only difference is the modelling lamps so the version can be easily switched at any time.

Product no.	Description	Price € exl. VAT
100764	ZoomSpot 230 V	€7319
100774	Iris Diaphragm for ZoomSpot	€ 445
100695	Pattern Holder for ProSpot	€ 64
101571	Flashtube for ZoomSpot	€ 923
100694	Pin Spot Set 6 pieces.	€ 63
100778	Filter holder for ZoomSpot	€ 52
102071	Modelling lamp 120 V. 300 W GX/GY 6.35 Frosted	€ 22
100739	StillLight XL 120 V	€ 6 683
100769	StillLight XL 230 V	€ 6 683
100740	StillLight XXL120 V	€ 12 252
100770	StillLight XXL 230 V	€ 12 252
100776	BarnDoor for StillLight XL (One piece)	€ 333
100777	BarnDoor for StillLight XXL (One piece)	€ 333
101578	Flashtube for StripLight & StillLight	€ 889
102075	Modelling lamp 230 V.150 W Ba15d	€26
102076	Modelling lamp 120 V.150 W Ba15d	€ 36
102077	Modelling lamp 120 V.75 W Ba15d	€ 19
102078	Modelling lamp 230 V.75 W Ba15d	€19
100738	StickLight	€1754
101573	Flashtube for StickLight	€ 497

Accessories The bits and pieces that ties it all together



Bags & cases



Product no.	Description	Price € exl. VAT
	Air cases - hard cases by Tenba	
340204	Air Case for Pro Generator with 1 Head Fits one Pro/Pro-B generator and one head including Zoom Reflector.	€ 545
340205	Air Case for Pro Generator with 2 Heads Fits one Pro/Pro-B generator and two heads including Zoom Reflector.	€ 572
340207	Divider for Pro-B3/B2/7b batteries (fits Air Cases 340203, 340204 & 340205)	€ 41
340206	Air Case for Acute2 generator with 2 Heads Fits one Acute2 generator and two heads including Zoom Reflector	€ 612
340213	Air Case for 3 Magnum Reflectors	€ 349
340214	Air Case for 5 Magnum Reflector	€ 394
340215	Air Case for FresnelSpot (fits one 100771 or 100741)	€ 752
100780	Air Case for Striplight Small (fit one StripLight S)	€ 852
100782	Air Case for Striplight Large	€1558
	Tailor made bags by Profoto	
330223	BackPack M Travel with comfort to your on-location shoot. This handy, high quality backpack fits two B1 or D1 flashes with accessories and stands. It can also be used for other photographic equipment thanks to the adjustable inner compartments.	€ 276
330224	Bag XS Tailor-made case for protecting photographic equipment. The Bag XS is a standard accessory for the B1, but can also be used to protect D1s, cameras, lenses and other smaller accessories during storage and transport thanks to the adjustable inner compartments.	€ 65
340216	B2 Location Bag Neatly designed, tailor-made shoulder bag with side pockets and adjustable compartments. Fits a B2 battery pack and two flash heads plus spare battery and charger.	€ 160
340209	B2 Carrying Bag A handy little bag that houses and protects the B2 battery pack. Carry it on your belt or shoulder or hang it on a stand.	€80
330226	Accessory Pouch For storing accessories such as Air Remotes, chargers and smaller camera accessories.	€ 11
330211	Bag S Handy softpadded bag with shoulderstrap. Fits for example two D1 or B1 flashes or one AcuteB2 with an AcuteBHead.	€ 95
330212	Bag M Softpadded kit bag with shoulder strap, suitable for Acute2 Value Kit or D1 Studio Kit.	€ 111
330220	Trolley bag L Large softpadded kit bag with wheels and shoulder strap, suitable for D1 3-head Studio Kits.	€ 266
340202	Pro-B Protective Bag (fits one Pro-B3, Pro-B2 or Pro-7b with battery)	€ 211
340208	Pro-B4 Protective Bag (fits one Pro-B4 with battery & charger)	€ 211
340212	SoftLight Reflector Case (Softpadded, fits one 100608 or 100607)	€ 339
254581	Bag for Giant 150 (Softpadded, fits one Giant 150)	€ 143
254582	Bag for Giant 180 & 210 (Softpadded, fits one Giant Reflector 180 or Giant 210)	€ 221
254583	Bag for Giant 240 (Softpadded, fits one Giant Reflector 240)	€ 329
254584	Bag for Giant 300 (Softpadded, fits one Giant Reflector 300)	€ 388
100298	Bag for Grid Kit (for Grid Kit 900849)	€ 29
100281	Dust cover for D4 Generator	€ 77

Batteries & battery chargers



Product no.	Description	Price € exl. VAT
100323	Li-Ion Battery for B1 (High-capacity battery for the B1, providing up to 220 full-power flashes per charge)	€ 207
100396	Li-lon Battery for B2 (High-capacity battery for the B2, providing up to 215 full-power flashes per charge)	€ 180
901106	LiFe Battery incl. Cassette (Lithium-Ion battery for AcuteB2, providing 240 full power flashes)	€ 402
900925	Li-Ion Battery for Pro-B4 (Quick exchange battery cassette for Pro-B4)	€ 876
900927	LiFe Battery including Cassette (for Pro-B3. Pro-B2 and Pro-7b)	€ 641
900726	Pb Battery including Cassette (For Pro-B3, Pro-B2 and Pro-7b)	€ 425
100308	Battery Charger 2.8A The standard charger for B1 that fully recharges the B1's battery in two hours. Delivered with power cable and Accessory Pouch.	€ 109
100309	Battery Charger 4.5A Optional fast charger for B1 that fully recharges the B1's battery in only one hour. Delivered with power cable and Accessory Pouch.	€ 165
100330	Car Charger 1.8A For B1. Plugs into any standard car cigarette connector and fully recharges the B1's battery in two hours. Delivered with Accessory Pouch.	€83
100290	Profoto battery charger 1 A (Standard charger for AcuteB and AcuteB2, recharges battery in 5 hours)	€ 115
100218	Profoto battery charger 2 A (Multivoltage charger for Pro-B3, Pro-B2, Pro-7b and AcuteB2)	€ 240
100304	Battery Quick Charger for Pro-B4 (Multivoltage charger for Pro-B4, recharges battery in 45 minutes, incl. mains cable)	€ 472

Cables

Product no.	Description	Price € exl. VAT
	Air sync cables	
103011	Male 3.5 mm miniphone to PC	€6
103016	1/4 Phono male to 3.5mm miniphone male	€7
103018	Sync adapter 1/4 Phono male to miniphone	€7
103020	Male 3.5 mm miniphone to miniphone. 30 cm	€7
	Air camera release cables	
100010	M 1.05	0.05
103012	Male 3.5 mm miniphone to Canon remote connector	€ 25
103023	Male 3.5 mm miniphone to Canon remote connector. Pre-Release	€ 49 € 25
103013 103024	Male 3.5 mm miniphone to Nikon remote connector Male 3.5 mm miniphone to Nikon remote connector. Pre-Release	€ 66
103024	Male 3.5 mm miniphone to Nakon remote connector Male 3.5 mm miniphone to Hasselblad remote connector	€ 54
103014	Male 3.5 mm miniphone to Hasselblad remote connector. Pre-Release	€ 40
103025	Male 3.5 mm miniphone to Olympus remote connector	€ 45
103027	Male 3.5 mm miniphone to Olympus remote connector. Pre-Release	€ 49
103028	Male 3.5 mm miniphone to Phase One remote connector	€ 80
103029	Male 3.5 mm miniphone to Sony remote connector	€ 45
.00020		0.10
	Extension cables	
330607	B2 AirTTL Extension cable 3m	€ 160
330606	AcuteB2-Head Split Cable (Turns a single outlet into two symmetrical outlets. Only for	€ 239
	AcuteB Heads)	
330601	Lamp extension cable for AcuteD4 heads 5m (for AcuteD4 Head, AcuteD4 Twin and	€ 222
	AcuteD4 Ring)	
303518	Pro Lamp Extension Cable 5 m (for all Proheads)	€ 291
303519	Pro Lamp Extension Cable 10 m (for all Proheads)	€ 394
283522	ProDaylight 200/400 Extension Cable 5m	€ 274
283521	ProDaylight 800 Extension Cable 5m	€ 296
	Power cables	
102531	Power Cable C7 EUR (Power Cable for Battery Chargers 100308 and 100309)	€ 11
102532	Power Cable C7 JAP (Power Cable for Battery Chargers 100308 and 100309)	€ 11
102533	Power Cable C7 US/CAN (Power Cable for Battery Chargers 100308 and 100309)	€ 11
102534	Power Cable C7 AUS (Power Cable for Battery Chargers 100308 and 100309)	€ 11
102535	Power Cable C7 UK (Power Cable for Battery Chargers 100308 and 100309)	€ 11
102506	Power Cable Pro-6/7/8 and D4 - EUR	€ 55
102507	Power Cable Pro-6/7/8 and D4 - US/CAN	€ 43
102514	Power Cable Pro-6/7/8 and D4 - DK	€ 66
102516	Power Cable Pro-6/7/8 and D4 - U.K.	€ 55
102520	Power Cable Pro-6/7/8 and D4 - CH	€ 66
102528	Power Cable Pro-6/7/8 and D4 - AUS	€ 66
102501	Power Cable Acute/D1 - EUR	€ 23
102502	Power Cable Acute/D1 - JAP	€ 27
102509	Power Cable Acute/D1 - US/CAN	€ 40
102517	Power Cable Acute/D1 - U.K.	€ 23
102513	Power Cable Acute/D1 - DK	€ 37
102519	Power Cable Acute/D1 - CH	€ 35
102527	Power Cable Acute/D1 - AUS	€ 39
	Sync cables	
103001	Synchro Cable 5 m (6,3 mm)	€ 22
103001	D1 Sync cable 5 m (3,5 mm)	€ 22 € 15
.555.6		0.10
	Usb cables	
		
103201	USB Standard Cable 5 m	€6
103017	USB 2.0 Extension Cable. Type-A Male to Female	€4

Flashtubes

Product no.	Description	Price € exl. VAT
331528	Flashtube B1 500	€ 122
101552	ProHead Flashtube Perfect ARC (For ProHead Plus, Pro-B Head Plus and older headsProHeads / Pro-B Heads.)	€ 387
101532	Single ProTwin Flashtube	€ 467
301501	Flashtube ProRing UV	€ 534
301502	Flashtube ProRing UNC	€ 534
301508	Flashtube ProRing2	€1001
331521	Flashtube AcuteB Head	€ 202
331514	Flashtube AcuteD4 Head (Also fits discontinued ComPact 1200)	€ 368
331515	Flashtube Acute/D4 Twin	€ 445
331517	Flashtube Acute/D4 Ring UV	€ 556
331518	Flashtube Acute/D4 Ring UNC	€ 556
331529	Flashtube D1 1000 Quartz	€ 264
331522	Flashtube D1250	€ 113
331523	Flashtube D1 500/1000	€ 125
101570	Flashtube for MultiSpot	€ 611
101571	Flashtube for ZoomSpot	€ 923
101573	Flashtube for StickLight	€ 497
331507	ComPact Flashtube UV-coated	€ 165
331508	ComPact Flashtube uncoated	€ 165
331511	ComPactPlus Flashtube UV-Coat.	€ 201
331510	ComPactPlus Flashtube Uncoated	€ 201

Glass covers



Product no.	Description	Price € exl. VAT
	75 mm glass covers for ProHeads and AcuteD4 Heads	
	Note: Can only be used with modelling light bulbs up to 250W and is not suitable for Twin heads.	
101533	Glass Cover 75 mm Frosted UV (-300K, Standard)	€ 177
101535	Glass Cover 75 mm Frosted Extra UV (-600 K)	€ 177
101534	Glass Cover 75 mm Frosted UNC (Uncoated)	€ 166
101537	Glass Cover 75 mm Clear UV (-300K)	€ 177
101536	Glass Cover 75 mm Clear UNC (Uncoated)	€ 166
101590	Glass Cover Plus 75mm Frosted -300K (Pro Plus heads standard)	€ 183
101591	Glass Cover Plus 75mm Frosted -600K	€ 183
101592	Glass Cover Plus 75mm Frosted Uncoated	€ 175
101593	Glass Cover Plus 75mm Clear -300K	€ 183
101594	Glass Cover Plus 75mm Clear Uncoated	€ 175
	100 mm glass covers for ProHeads and AcuteD4 Heads	
	Note: Can be used with all modelling light bulbs and with Twin heads.	
101518	Glass Cover 100 mm UV (-300K, Standard)	€ 187
101519	Glass Cover 100 mm UV (-600 K)	€ 187
101520	Glass Cover 100 mm frosted (Uncoated)	€ 177
101521	Glass Cover 100 mm UV Clear (-300K)	€ 187
101523	Glass Cover 100 mm Clear UNC (Uncoated)	€ 177
101595	Glass Cover Plus 100 mm Frosted -300K	€ 197
101596	Glass Cover Plus 100 mm Frosted -600K	€ 197
101597	Glass Cover Plus 100 mm Frosted Uncoated	€ 187
101598	Glass Cover Plus 100 mm Clear - 300K	€ 197
101599	Glass Cover Plus 100 mm Clear Uncoated	€ 187
	Glass cover for D1	
331524	Glass plate. Standard. D1	€ 42
331525	Glass plate D1. Clear	€ 39
331526	Glass plate D1300 K	€ 63
331527	Glass plate D1600 K	€ 63
101561	Glass cover D1	€ 114
101562	Glass cover D1, -600 K	€ 137
101563	Glass cover D1300 K	€ 137
	Glass covers for ProRing and AcuteD4 Ring	
301503	Glass Cover Ringflash	€ 27
	Glass covers for Continuous Light	
101542	Glass Cover Frosted w. Ring 70 mm (for ProDaylight and ProTungsten)	€ 177
101543	Glass Cover Clear w. Ring 70 mm (for ProDaylight and ProTungsten)	€ 167

Lamps



Product no.	Description	Price € exl. VAT
282017	ProTungsten lamp 500W EHC 110V G9.5 (for US and markets with 110-120V mains voltage)	€ 41
282016	ProTungsten lamp 500W 240V G9.5 (for EU and markets with 220-240V mains voltage)	€ 54
282015	ProTungsten lamp 1000W FEL 110V G9.5 (for US and markets with 110-120V mains voltage)	€ 45
282014	ProTungsten lamp 1000W FEP 240V G9.5 (for EU and markets with 220-240V mains voltage)	€ 32
282023	ProDaylight bulb 200W HR UV-C	€ 274
282020	ProDaylight bulb 400W HR UV-C	€ 286
282021	ProDaylight bulb 800W HR UV-C	€ 295
100010		0.04
102010	150 W. 230 V Halogen Modeling lamp E27	€ 21
102011	150 W.120 V Halogen Modeling lamp E27	€ 21
102016	250 W.120 V Halogen Modeling lamp E27	€ 25
102002	250 W.120 V Halogen Mini-can E11	€ 25
102007	500 W.120 V Halogen Mini-can E11	€ 35
102014	100 W. 120 V Halogen Mini-can E11	€ 22
102019	20 W.12 V Frosted G4	€3
102018	65 W. 12 V Halogen GX/GY 6.35	€ 12
102071	Modlamp 120 V. 300 W. D1	€ 22
102073	Modelling lamp 12 V.20 W G4	€4
102074	Modelling lamp 24 V. 20 W G4	€4
102075	Modelling lamp 230 V.150 W Ba15d	€ 26
102076	Modelling lamp 120 V.150 W Ba15d	€ 36
102077	Modelling lamp 120 V.75 W Ba15d	€ 19
102078	Modelling lamp 230 V.75 W Ba15d	€ 19
901123	BatPac 230V Portable power source with two EU 230V outlets. Delivered with Charger 2A (100218), power cable's (2 x 102501) & BatPac bag	€1198
901124	BatPac 120 V Portable power source with two US 120V outlets. Delivered with Charger 2A (100218), power cable's (2×102509) & BatPac bag	€1198
900895	Pro-B MainsDock (Docking station to power Pro-B3, Pro-B2 and Pro-7b from mains multivoltage.)	€ 954

Stands & caps



Product no.	Description	Price € exl. VAT
	Column stands	
101090	EasyStand M The EasyStand M is a stable and solid column stand with manual height adjustment that allows a very low lamp position. The EasyStand M is perfectly suited for Fresnel spots and ZoomSpots, small light banks, diffusion screens and normal heads with large reflectors. Include roller wheels, screw lock, 5/8 inch stand adapter and a generator platform.	€1274
101091	EasyStand L As EasyStand M but with even stronger column and gravity control with weight compensation up to 10kgs / 22 pounds). Perfect for StripLights.	€ 2 895
101092	EasyStand XL As EasyStand L but with even stronger column and gravity control with weight compensation up to 20kgs / 44 pounds). Perfect for Large StripLights and StillLight XL.	€ 4 528
101094	EasyStand XXL Electric Motorized columnstand that can carry very large and heavy lights up to 25kgs. Perfect for StillLight XXL.	€7796
	Portable stands	
101060	Mini Compact Stand (Aluminium stand, air cushioned. 4 sections, 3 risers)	€ 116
101061	Compact Stand (Aluminium stand, air cushioned. 3 sections, 2 risers)	€ 127
101085	D1 Kit Stand	€ 49
	Transport caps	
100708	Transport Protective Cap (for ProHead, Pro-B Head and ProTwin, AcuteD4 Head, AcuteD4 Twin and AcuteB head)	€ 15
100638	Metal Protective Cap (for ProHead, Pro-B Head, ProTwin, AcuteD4 Head, AcuteD4 Twin and AcuteB head)	€ 77
100786	Zoom-Cap	€ 23
100799	Protective Cap (fits the D1 Monolights and the Off-Camera flashes)	€ 16
	Other accessories	
100709	Handle Pro-7Head (For ProHead, ProTwin and Pro-B head, makes adjustment of heavy light shaping tools easier)	€39
100702	Locking Device Kit (2pcs, replacement springs to lock glass covers)	€9
101074	Stand Adapter Plus 16 mm / 5/8 inch (Pro Plus standard stand adapter for all standard Pro and Acute heads)	€ 35
331001	Stand attachment for ComPacts	€ 111

Profoto - The Light Shaping Company

Profoto was founded in Stockholm in 1968 by photographer and engineer Eckhard Heine and photography equipment retailer Conny Dufgran.

Their relationship began when Conny sold Eckhard a flash unit that didn't work. Annoyed with the faulty unit, Eckhard went home to invent a new type of flash. He returned a couple of weeks later with a superior unit. A few years after that, Eckhard and Conny exhibited the first Pro-1 generator at the Photokina trade show in Cologne. It was an instant success. Profoto was born. With a bang.

Today, our products are used by the best in the industry. Whether it be on a billboard or in a fashion magazine, there's a good chance that the image you are looking at was created with the help of our lights.

But even though we continuously refine and improve our equipment, we stay true to Eckhard's and Conny's ideals. We still believe that a Light Shaping Tool should feel right, sound right and be aesthetically pleasing. Just like the painter's brush or the musician's instrument, its form should reflect its function. Hence, we will never let technology rule over the artist. On the contrary, we make tools that help photographers turn their ambition into reality.

